

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The application of pesticide to land.

Ref #	Circumstances	Chemical
71	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen

The handling and storage of fuel. **Threat Subcategory: Handling Of Fuel**

Ref #	Circumstances	Chemical
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
198	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
335	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
338		Chromium VI
342		Mecoprop
411	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
414		Chromium VI
417		Lead or one or more of its compounds containing Lead

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
421		Nitrogen
468	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
471		Chromium VI
475		Mecoprop
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
862		Chromium VI
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
888		Cyanide (CN-)
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
902		Silver or one or more of its compounds containing Silver

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1005	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1018	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1034		Cadmium or one or more of its compounds containing Cadmium
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1070	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1173	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1184	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent****Ref # Circumstances****Chemical**

1271

Methylene Chloride
(Dichloromethane)

1272

Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer****Ref # Circumstances****Chemical**

1287 1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.

Nitrogen

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel****Ref # Circumstances****Chemical**

1359 1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.

BTEX

1360

Petroleum Hydrocarbons F1 (nC6-nC10)

1364 1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.

BTEX

1365

Petroleum Hydrocarbons F1 (nC6-nC10)

1369 1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.

BTEX

1370

Petroleum Hydrocarbons F1 (nC6-nC10)

1374 1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.

BTEX

1375

Petroleum Hydrocarbons F1 (nC6-nC10)

1384 1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.

BTEX

1385

Petroleum Hydrocarbons F1 (nC6-nC10)

1389 1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.

BTEX

1390

Petroleum Hydrocarbons F1 (nC6-nC10)

1391

Petroleum Hydrocarbons F4 (>nC34)

1392

Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1459	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Lead or one or more of its compounds containing Lead
1460		Nitrogen
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1487		Sodium
1492	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Lead or one or more of its compounds containing Lead
1493		Nitrogen
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The storage of snow.

Ref #	Circumstances	Chemical
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1520		Sodium
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1541		Nitrogen
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1574		Chromium VI

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

Ref #	Circumstances	Chemical
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1606		Chromium VI
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1757	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1798		Lead or one or more of its compounds containing Lead
1799		Mercury or one or more of its compounds containing Mercury
1801		Oxamyl
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1812		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1917		Chromium VI
1924	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade.	Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade.	Arsenic or one or more of its compounds containing Arsenic
1935		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 1 (CW10S): Chemicals in a WHPA with a vulnerability score of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 2 (CW8S): Chemicals in a WHPA with a vulnerability score of 8 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. **Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)**

Ref #	Circumstances	Chemical
1083	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1096	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)**

Ref #	Circumstances	Chemical
1674	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)**

Ref #	Circumstances	Chemical
1710	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1877	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
81	1.The area of land to which the pesticide is applied is more than 10 hectares.	Glyphosate
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
122	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
143		Petroleum Hydrocarbons F1 (nC6-nC10)
144		Petroleum Hydrocarbons F4 (>nC34)
145		Petroleum Hydrocarbons F2 (>nC10-nC16)
146		Petroleum Hydrocarbons F3 (>nC16-nC34)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
179	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
184	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
127	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
148		Petroleum Hydrocarbons F1 (nC6-nC10)
149		Petroleum Hydrocarbons F4 (>nC34)
150		Petroleum Hydrocarbons F2 (>nC10-nC16)
151		Petroleum Hydrocarbons F3 (>nC16-nC34)
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)
189	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
194	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
300		Chromium VI
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
307		Nitrogen
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
352		Zinc or one or more of its compounds containing Zinc
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
357		Chromium VI
361		Mecoprop
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
413		Chloride
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
420		Nickel or one or more of its compounds containing Nickel
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
428		Zinc or one or more of its compounds containing Zinc
430	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
433		Chromium VI
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
440		Nitrogen
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
485		Zinc or one or more of its compounds containing Zinc
491	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Copper or one or more of its compounds containing Copper
492		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
631	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey not more than 250 cubic metres of sewage per day.	BTEX
632		Cadmium or one or more of its compounds containing Cadmium
636		Lead or one or more of its compounds containing Lead
637		Mercury or one or more of its compounds containing Mercury
638		Nitrogen
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
645		Copper or one or more of its compounds containing Copper
647		Hexachlorobenzene
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
650		Nitrogen
651		one or more Polychlorinated Biphenyls (PCBs)
652		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
653		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
655		Zinc or one or more of its compounds containing Zinc
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
658		Copper or one or more of its compounds containing Copper
659		Dichlorobenzidine-3,3'
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
666		Pentachlorophenol
668		Zinc or one or more of its compounds containing Zinc
671	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
679		Pentachlorophenol
681		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
700		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
814		Chromium VI
820		Dichlorophenol-2,4
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
858	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
870		Lead or one or more of its compounds containing Lead
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
887	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
889		Dibutyl phthalate
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
916	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
917		Cadmium or one or more of its compounds containing Cadmium
920		Lead or one or more of its compounds containing Lead
921		Mercury or one or more of its compounds containing Mercury
922		Nitrogen
923		Nitrosodimethylamine-N (NDMA)
926		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
927		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
929	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
930		Cadmium or one or more of its compounds containing Cadmium
933		Lead or one or more of its compounds containing Lead
934		Mercury or one or more of its compounds containing Mercury
935		Nitrogen
936		Nitrosodimethylamine-N (NDMA)
939		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
940		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
953	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
957		Copper or one or more of its compounds containing Copper
958		Hexachlorobenzene
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
961		Nitrogen
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
964		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
965		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
966		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
967		Zinc or one or more of its compounds containing Zinc
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium
970		Copper or one or more of its compounds containing Copper
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
977		Pentachlorophenol
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
980		Zinc or one or more of its compounds containing Zinc
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
985		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
996		Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1003		Pentachlorophenol
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1006		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1019		Zinc or one or more of its compounds containing Zinc
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1032		Zinc or one or more of its compounds containing Zinc
1035	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1042		Pentachlorophenol
1045		Zinc or one or more of its compounds containing Zinc
1048	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1055		Pentachlorophenol
1058		Zinc or one or more of its compounds containing Zinc
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1071		Zinc or one or more of its compounds containing Zinc

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1131		Mecoprop
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1142		Mecoprop
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1194	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1200		Pendimethalin

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1229	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1230		Chloroform
1231		Methylene Chloride (Dichloromethane)
1232		Pentachlorophenol
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1242	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Chloroform
1243		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1244		Pentachlorophenol
1246	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1250	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1256	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1260	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1264	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1300		Petroleum Hydrocarbons F1 (nC6-nC10)
1301		Petroleum Hydrocarbons F4 (>nC34)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1302		Petroleum Hydrocarbons F2 (>nC10-nC16)
1303		Petroleum Hydrocarbons F3 (>nC16-nC34)
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1305		Petroleum Hydrocarbons F1 (nC6-nC10)
1306		Petroleum Hydrocarbons F4 (>nC34)
1307		Petroleum Hydrocarbons F2 (>nC10-nC16)
1308		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1315		Petroleum Hydrocarbons F1 (nC6-nC10)
1316		Petroleum Hydrocarbons F4 (>nC34)
1317		Petroleum Hydrocarbons F2 (>nC10-nC16)
1318		Petroleum Hydrocarbons F3 (>nC16-nC34)
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1330		Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1335		Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1361	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1366	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1371	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1376	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1386	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1479	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Copper or one or more of its compounds containing Copper
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1488		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1512	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Copper or one or more of its compounds containing Copper
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1536	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1540		Nickel or one or more of its compounds containing Nickel
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1573	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Cadmium or one or more of its compounds containing Cadmium
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1600	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1604	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1640	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1676	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1713		Barium
1715		Bis(2-ethylhexyl) phthalate
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1718		Carbofuran
1719		Chlorobenzene
1720		Copper or one or more of its compounds containing Copper
1721		Cyanide (CN-)
1722		Dichlorobenzene-1,2 (ortho)
1723		Dichlorobenzene-1,4 (para)
1724		Hexachlorobenzene
1725		Hexachlorocyclopentadiene
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1730		Trichlorobenzene-1,2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1731		Trichloroethane-1,1,1
1732		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1733		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1734		Zinc or one or more of its compounds containing Zinc
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1736		Atrazine
1737		Barium
1738		Bis(2-ethylhexyl) adipate
1739		Bis(2-ethylhexyl) phthalate
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran
1743		Chlorobenzene
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1746		Dichlorobenzene-1,2 (ortho)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene
1749		Hexachlorocyclopentadiene
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1758		Zinc or one or more of its compounds containing Zinc
1760	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Atrazine
1761		Barium
1762		Bis(2-ethylhexyl) adipate
1763		Bis(2-ethylhexyl) phthalate
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene
1774		Lead or one or more of its compounds containing Lead
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1778		Trichlorobenzene-1,2,4
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1782		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1785	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Barium
1786		Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1800		one or more Polychlorinated Biphenyls (PCBs)
1802		Trichlorobenzene-1,2,4
1806		Zinc or one or more of its compounds containing Zinc
1810	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1816		Copper or one or more of its compounds containing Copper
1821		Hexachlorocyclopentadiene
1830		Zinc or one or more of its compounds containing Zinc
1834	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Bis(2-ethylhexyl) adipate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen

The application of pesticide to land.

Ref #	Circumstances	Chemical
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen

The handling and storage of fuel. **Threat Subcategory: Handling Of Fuel**

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
196	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
395		Chromium VI
399		Mecoprop
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
428		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
681		Zinc or one or more of its compounds containing Zinc
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
694		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
698		Nitrogen
700		Sodium
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
862		Chromium VI
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
966	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
979	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1031	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1060		Cadmium or one or more of its compounds containing Cadmium
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1084		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1360		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1458		Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead
1460		Nitrogen
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1476		Sodium
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1479		Copper or one or more of its compounds containing Copper
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1541		Nitrogen
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1580		Nitrogen
1583		Sulphide (Hydrogen)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)**

Ref #	Circumstances	Chemical
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)**

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1733	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1774		Lead or one or more of its compounds containing Lead
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1785		Barium
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1798		Lead or one or more of its compounds containing Lead
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1811		Bis(2-ethylhexyl) phthalate
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - PCB Waste Storage**

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste**

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1923		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 4 (CW8M): Chemicals in a WHPA with a vulnerability score of 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1924	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade.	Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade.	Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 5 (CW6M): Chemicals in a WHPA with a vulnerability score of 6 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. **Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)**

Ref #	Circumstances	Chemical
1083	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1096	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)**

Ref #	Circumstances	Chemical
1674	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)**

Ref #	Circumstances	Chemical
1710	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1877	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The application of pesticide to land.

Ref # Circumstances

59 1.The area of land to which the pesticide is applied is less than 1 hectare.

Chemical

Glyphosate

The application of road salt.

Ref # Circumstances

88 1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.

Chemical

Chloride

89

Sodium

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref # Circumstances

112 1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.

Chemical

BTEX

113

Petroleum Hydrocarbons F1 (nC6-nC10)

114

Petroleum Hydrocarbons F4 (>nC34)

115

Petroleum Hydrocarbons F2 (>nC10-nC16)

116

Petroleum Hydrocarbons F3 (>nC16-nC34)

118 1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.

Petroleum Hydrocarbons F1 (nC6-nC10)

119

Petroleum Hydrocarbons F4 (>nC34)

120

Petroleum Hydrocarbons F2 (>nC10-nC16)

121

Petroleum Hydrocarbons F3 (>nC16-nC34)

123 1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.

Petroleum Hydrocarbons F1 (nC6-nC10)

124

Petroleum Hydrocarbons F4 (>nC34)

125

Petroleum Hydrocarbons F2 (>nC10-nC16)

126

Petroleum Hydrocarbons F3 (>nC16-nC34)

133 1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.

Petroleum Hydrocarbons F1 (nC6-nC10)

134

Petroleum Hydrocarbons F4 (>nC34)

135

Petroleum Hydrocarbons F2 (>nC10-nC16)

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
136		Petroleum Hydrocarbons F3 (>nC16-nC34)
128	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
129		Petroleum Hydrocarbons F4 (>nC34)
130		Petroleum Hydrocarbons F2 (>nC10-nC16)
131		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
193	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a remote airport.	Ethylene Glycol

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. **Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond**

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
278		Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
282		Copper or one or more of its compounds containing Copper
283		Glyphosate
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
290		Petroleum Hydrocarbons F1 (nC6-nC10)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)
295		Zinc or one or more of its compounds containing Zinc
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
299		Chloride
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
306		Nickel or one or more of its compounds containing Nickel
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
314		Zinc or one or more of its compounds containing Zinc
321	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Glyphosate
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
371		Zinc or one or more of its compounds containing Zinc
377	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Copper or one or more of its compounds containing Copper
378		Glyphosate
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
390		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
432		Chloride
434		Copper or one or more of its compounds containing Copper
435		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
439		Nickel or one or more of its compounds containing Nickel
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
447		Zinc or one or more of its compounds containing Zinc
454	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Glyphosate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
633	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey not more than 250 cubic metres of sewage per day.	Copper or one or more of its compounds containing Copper
634		Dichlorobenzidine-3,3'
635		Hexachlorobenzene
639		one or more Polychlorinated Biphenyls (PCBs)
640		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
641		Pentachlorophenol
642		Zinc or one or more of its compounds containing Zinc
646	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	Dichlorobenzidine-3,3'

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)
793		Dibutyl phthalate
794		Dichlorobenzene-1,2 (ortho)
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
804		Phenol (or its salts)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
810	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Barium
813		Chlorophenol-2

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)
821		Ethylene Glycol
825		Nickel or one or more of its compounds containing Nickel
828		Phenol (or its salts)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
904	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
905		Cadmium or one or more of its compounds containing Cadmium
907		Hexachlorobenzene
908		Lead or one or more of its compounds containing Lead
909		Mercury or one or more of its compounds containing Mercury
910		Nitrogen
911		Nitrosodimethylamine-N (NDMA)
912		one or more Polychlorinated Biphenyls (PCBs)
913		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
914		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
918	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
919		Hexachlorobenzene
924		one or more Polychlorinated Biphenyls (PCBs)
925		Pentachlorophenol
928		Zinc or one or more of its compounds containing Zinc
931	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
932		Hexachlorobenzene
937		one or more Polychlorinated Biphenyls (PCBs)
938		Pentachlorophenol
941		Zinc or one or more of its compounds containing Zinc
942	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
944		Copper or one or more of its compounds containing Copper
945		Hexachlorobenzene
946		Lead or one or more of its compounds containing Lead
947		Mercury or one or more of its compounds containing Mercury
948		Nitrogen
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
951		Pentachlorophenol
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
954		Zinc or one or more of its compounds containing Zinc
983	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
993		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1114		Dicamba
1115		Dichlorophenoxy Acetic Acid (D-2,4)
1116		Dichloropropene-1,3
1117		Glyphosate
1118		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1119		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1120		Mecoprop
1121		Metalaxyl
1122		Metolachlor or s-Metolachlor
1123		Pendimethalin
1128	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Glyphosate
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1139	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Glyphosate
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin
1150	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Glyphosate
1161	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Glyphosate

The handling and storage of an organic solvent.**Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1228	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1273	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1289	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1290		Petroleum Hydrocarbons F1 (nC6-nC10)
1291		Petroleum Hydrocarbons F4 (>nC34)
1292		Petroleum Hydrocarbons F2 (>nC10-nC16)
1293		Petroleum Hydrocarbons F3 (>nC16-nC34)
1295	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 6 (CW10L): Chemicals in a WHPA with a vulnerability score of 10 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1298		Petroleum Hydrocarbons F3 (>nC16-nC34)
1320	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)
1322		Petroleum Hydrocarbons F2 (>nC10-nC16)
1323		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1435	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1436		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines**

Ref #	Circumstances	Chemical
1549	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1558		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1714	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Bis(2-ethylhexyl) adipate

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
70	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Glyphosate
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen

The handling and storage of fuel. **Threat Subcategory: Handling Of Fuel**

Ref #	Circumstances	Chemical
112	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	
118		Petroleum Hydrocarbons F1 (nC6-nC10)
119		Petroleum Hydrocarbons F4 (>nC34)
120		Petroleum Hydrocarbons F2 (>nC10-nC16)

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
121		Petroleum Hydrocarbons F3 (>nC16-nC34)
122	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
123		Petroleum Hydrocarbons F1 (nC6-nC10)
124		Petroleum Hydrocarbons F4 (>nC34)
125		Petroleum Hydrocarbons F2 (>nC10-nC16)
126		Petroleum Hydrocarbons F3 (>nC16-nC34)
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
133		Petroleum Hydrocarbons F1 (nC6-nC10)
134		Petroleum Hydrocarbons F4 (>nC34)
135		Petroleum Hydrocarbons F2 (>nC10-nC16)
136		Petroleum Hydrocarbons F3 (>nC16-nC34)
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
143		Petroleum Hydrocarbons F1 (nC6-nC10)
144		Petroleum Hydrocarbons F4 (>nC34)
145		Petroleum Hydrocarbons F2 (>nC10-nC16)
146		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
158	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
163	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
173	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
127	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
128		Petroleum Hydrocarbons F1 (nC6-nC10)
129		Petroleum Hydrocarbons F4 (>nC34)
130		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
131		Petroleum Hydrocarbons F3 (>nC16-nC34)
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
148		Petroleum Hydrocarbons F1 (nC6-nC10)
149		Petroleum Hydrocarbons F4 (>nC34)
150		Petroleum Hydrocarbons F2 (>nC10-nC16)
151		Petroleum Hydrocarbons F3 (>nC16-nC34)
168	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
194	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
278		Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
333		Zinc or one or more of its compounds containing Zinc
339	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Copper or one or more of its compounds containing Copper
340		Glyphosate
344		Nickel or one or more of its compounds containing Nickel
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
352		Zinc or one or more of its compounds containing Zinc
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6-nC10)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
390		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
409		Zinc or one or more of its compounds containing Zinc
416	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Glyphosate
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
466		Zinc or one or more of its compounds containing Zinc
472	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Copper or one or more of its compounds containing Copper
473		Glyphosate
477		Nickel or one or more of its compounds containing Nickel
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
485		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

Ref #	Circumstances	Chemical
631	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey not more than 250 cubic metres of sewage per day.	BTEX
632		Cadmium or one or more of its compounds containing Cadmium
633		Copper or one or more of its compounds containing Copper
634		Dichlorobenzidine-3,3'
635		Hexachlorobenzene
636		Lead or one or more of its compounds containing Lead
637		Mercury or one or more of its compounds containing Mercury
638		Nitrogen
639		one or more Polychlorinated Biphenyls (PCBs)
640		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
641		Pentachlorophenol
642		Zinc or one or more of its compounds containing Zinc
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
645		Copper or one or more of its compounds containing Copper
646		Dichlorobenzidine-3,3'
647		Hexachlorobenzene
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
650		Nitrogen
651		one or more Polychlorinated Biphenyls (PCBs)
652		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
653		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
655		Zinc or one or more of its compounds containing Zinc
658	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	Copper or one or more of its compounds containing Copper
659		Dichlorobenzidine-3,3'
660		Hexachlorobenzene
666		Pentachlorophenol
668		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
697	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
790		Chromium VI
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
828		Phenol (or its salts)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
858	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Barium
861		Chlorophenol-2

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
873		Nickel or one or more of its compounds containing Nickel
876		Phenol (or its salts)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
914	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
916	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
917		Cadmium or one or more of its compounds containing Cadmium
918		Copper or one or more of its compounds containing Copper
919		Hexachlorobenzene
920		Lead or one or more of its compounds containing Lead
921		Mercury or one or more of its compounds containing Mercury
922		Nitrogen
923		Nitrosodimethylamine-N (NDMA)
924		one or more Polychlorinated Biphenyls (PCBs)
925		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
926		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
927		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
928		Zinc or one or more of its compounds containing Zinc
929	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
930		Cadmium or one or more of its compounds containing Cadmium
931		Copper or one or more of its compounds containing Copper
932		Hexachlorobenzene
933		Lead or one or more of its compounds containing Lead
934		Mercury or one or more of its compounds containing Mercury
935		Nitrogen
936		Nitrosodimethylamine-N (NDMA)
937		one or more Polychlorinated Biphenyls (PCBs)
938		Pentachlorophenol
939		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
940		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
941		Zinc or one or more of its compounds containing Zinc
942	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
946		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
947		Mercury or one or more of its compounds containing Mercury
948		Nitrogen
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
957		Copper or one or more of its compounds containing Copper
958		Hexachlorobenzene
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
961		Nitrogen
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
964		Pentachlorophenol
965		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
967		Zinc or one or more of its compounds containing Zinc
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
970		Copper or one or more of its compounds containing Copper
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
977		Pentachlorophenol
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
980		Zinc or one or more of its compounds containing Zinc
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
983		Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
993		Zinc or one or more of its compounds containing Zinc
996	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
1003		Pentachlorophenol
1006		Zinc or one or more of its compounds containing Zinc
1009	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1016		Pentachlorophenol
1019		Zinc or one or more of its compounds containing Zinc
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1032		Zinc or one or more of its compounds containing Zinc
1061	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1068		Pentachlorophenol
1071		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1114		Dicamba
1115		Dichlorophenoxy Acetic Acid (D-2,4)
1116		Dichloropropene-1,3
1118		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1120		Mecoprop
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1128		Glyphosate
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1131		Mecoprop
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1139		Glyphosate
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1142		Mecoprop
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1150		Glyphosate
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1172	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Glyphosate
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1183	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	

The handling and storage of an organic solvent.**Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1228		Pentachlorophenol
1229	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1230		Chloroform
1231		Methylene Chloride (Dichloromethane)
1232		Pentachlorophenol
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1244	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	
1248	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	
1252	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1273	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

Ref #	Circumstances	Chemical
1289	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1295		Petroleum Hydrocarbons F1 (nC6-nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10-nC16)
1298		Petroleum Hydrocarbons F3 (>nC16-nC34)
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1300		Petroleum Hydrocarbons F1 (nC6-nC10)
1301		Petroleum Hydrocarbons F4 (>nC34)
1302		Petroleum Hydrocarbons F2 (>nC10-nC16)
1303		Petroleum Hydrocarbons F3 (>nC16-nC34)
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1305		Petroleum Hydrocarbons F1 (nC6-nC10)
1306		Petroleum Hydrocarbons F4 (>nC34)
1307		Petroleum Hydrocarbons F2 (>nC10-nC16)
1308		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1315		Petroleum Hydrocarbons F1 (nC6-nC10)
1316		Petroleum Hydrocarbons F4 (>nC34)
1317		Petroleum Hydrocarbons F2 (>nC10-nC16)
1318		Petroleum Hydrocarbons F3 (>nC16-nC34)
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1320		Petroleum Hydrocarbons F1 (nC6-nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)
1322		Petroleum Hydrocarbons F2 (>nC10-nC16)
1323		Petroleum Hydrocarbons F3 (>nC16-nC34)
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1330	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1335	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1340	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1345	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1355	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1380	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref # Circumstances

Chemical

1383

Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref # Circumstances

Chemical

1409 1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.

Nitrogen

1411 1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.

The handling and storage of road salt.

Ref # Circumstances

Chemical

1433 1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.

Chloride

1434

Sodium

1435 1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.

Chloride

1436

Sodium

1439 1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.

Chloride

1440

Sodium

The storage of snow.

Ref # Circumstances

Chemical

1445 1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

Chloride

1446

Copper or one or more of its compounds containing Copper

1447

Cyanide (CN-)

1448

Lead or one or more of its compounds containing Lead

1449

Nitrogen

1450

Petroleum Hydrocarbons F1 (nC6-nC10)

1451

Petroleum Hydrocarbons F4 (>nC34)

1452

Petroleum Hydrocarbons F2 (>nC10-nC16)

1453

Petroleum Hydrocarbons F3 (>nC16-nC34)

1454

Sodium

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1455		Zinc or one or more of its compounds containing Zinc
1462	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1468	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1477		Zinc or one or more of its compounds containing Zinc
1495	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1575	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1579		Nickel or one or more of its compounds containing Nickel
1582		Silver or one or more of its compounds containing Silver
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1593	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1604	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1612		Silver or one or more of its compounds containing Silver

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1640	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1643		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1676	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1679		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1713		Barium
1714		Bis(2-ethylhexyl) adipate
1715		Bis(2-ethylhexyl) phthalate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1718		Carbofuran
1719		Chlorobenzene
1720		Copper or one or more of its compounds containing Copper
1721		Cyanide (CN-)
1722		Dichlorobenzene-1,2 (ortho)
1723		Dichlorobenzene-1,4 (para)
1724		Hexachlorobenzene
1725		Hexachlorocyclopentadiene
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1730		Trichlorobenzene-1,2,4
1731		Trichloroethane-1,1,1
1732		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1734		Zinc or one or more of its compounds containing Zinc
1736	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Atrazine
1737		Barium
1738		Bis(2-ethylhexyl) adipate
1739		Bis(2-ethylhexyl) phthalate
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1743		Chlorobenzene
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1746		Dichlorobenzene-1,2 (ortho)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene
1749		Hexachlorocyclopentadiene
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1758		Zinc or one or more of its compounds containing Zinc
1761	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Barium
1762		Bis(2-ethylhexyl) adipate
1763		Bis(2-ethylhexyl) phthalate
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 7 (CW8L): Chemicals in a WHPA with a vulnerability score of 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1778		Trichlorobenzene-1,2,4
1782		Zinc or one or more of its compounds containing Zinc
1786	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1797		Hexachlorocyclopentadiene
1810	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Bis(2-ethylhexyl) adipate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste**

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1922		Silver or one or more of its compounds containing Silver

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

Ref #	Circumstances	Chemical
194	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
319		Chromium VI
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
352		Zinc or one or more of its compounds containing Zinc
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
376		Chromium VI
380		Mecoprop
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
428		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
459		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
650		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
651		one or more Polychlorinated Biphenyls (PCBs)
652		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
658		Copper or one or more of its compounds containing Copper
659		Dichlorobenzidine-3,3'
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
666		Pentachlorophenol
668		Zinc or one or more of its compounds containing Zinc
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
681		Zinc or one or more of its compounds containing Zinc
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
700		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
838		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
927	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
940	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
961		Nitrogen
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
965		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
966		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
969		Cadmium or one or more of its compounds containing Cadmium
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
992	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
996		Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1003		Pentachlorophenol
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1006		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compounds containing Zinc
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1084		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1153		Mecoprop
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1164		Mecoprop
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref # Circumstances

Chemical

1200

Pendimethalin

The storage of agricultural source material.

Ref # Circumstances

Chemical

1201 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

Nitrogen

1203 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

1205 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

1207 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

1209 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1211 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

1213 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

1215 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

1217 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1219 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

1221 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

1223 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref # Circumstances

Chemical

1229 1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.

Carbon Tetrachloride

1230

Chloroform

1231

Methylene Chloride
(Dichloromethane)

1233 1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.

Carbon Tetrachloride

1234

Chloroform

1235

Methylene Chloride
(Dichloromethane)

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1244		Pentachlorophenol
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1330		Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1335		Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1360		Petroleum Hydrocarbons F1 (nC6-nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1454		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1455		Zinc or one or more of its compounds containing Zinc
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead
1460		Nitrogen
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1479		Copper or one or more of its compounds containing Copper
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1548		Chromium VI

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1582		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
-------	---------------	----------

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)**

Ref #	Circumstances	Chemical
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1718		Carbofuran
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1731		Trichloroethane-1,1,1
1732		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1733		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1736		Atrazine
1737		Barium
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran
1743		Chlorobenzene
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1746		Dichlorobenzene-1,2 (ortho)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1758		Zinc or one or more of its compounds containing Zinc
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1761		Barium
1763		Bis(2-ethylhexyl) phthalate
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene
1774		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1778		Trichlorobenzene-1,2,4
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1782		Zinc or one or more of its compounds containing Zinc
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1785		Barium
1786		Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1798		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1810		Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade.	Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 8 (CW6L): Chemicals in a WHPA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade.	Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 9 (DWAS): DNAPLS in WHPA A, B, C, C1, with any vulnerability where threats are significant

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 10 (DW6M): DNAPLS in WHPA D with a vulnerability of 6 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref # Circumstances

Chemical

106	1. The below grade handling of a DNAPL in relation to its storage.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
-----	--	--

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref # Circumstances

Chemical

1107	1. The storage of a DNAPL below grade.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
------	--	--

1112	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	
------	---	--

PROVINCIAL TABLE 11 (DW6L): DNAPLS in WHPA D with a vulnerability of 6 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

PROVINCIAL TABLE 12 (PW10S): Pathogens in WHPA A, B with a vulnerability of 10 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 12 (PW10S): Pathogens in WHPA A, B with a vulnerability of 10 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 13 (PW10M): Pathogens in WHPA A, B with a vulnerability of 10 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1967	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 14 (PW8M): Pathogens in WHPA A, B with a vulnerability of 8 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 14 (PW8M): Pathogens in WHPA A, B with a vulnerability of 8 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 15 (PW8L): Pathogens in WHPA A, B with a vulnerability of 8 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1967	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 16 (PW6L): Pathogens in WHPA A, B with a vulnerability of 6 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 16 (PW6L): Pathogens in WHPA A, B with a vulnerability of 6 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 17 (CSGRAHVA6M): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1083	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1096	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1674	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1710	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1877	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

Ref #	Circumstances	Chemical
194	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
319		Chromium VI
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
352		Zinc or one or more of its compounds containing Zinc
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
376		Chromium VI
380		Mecoprop
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
428		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
459		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
650		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
651		one or more Polychlorinated Biphenyls (PCBs)
652		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
658		Copper or one or more of its compounds containing Copper
659		Dichlorobenzidine-3,3'
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
666		Pentachlorophenol
668		Zinc or one or more of its compounds containing Zinc
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
681		Zinc or one or more of its compounds containing Zinc
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
700		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
838		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
927	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
940	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
961		Nitrogen
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
965		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
966		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
969		Cadmium or one or more of its compounds containing Cadmium
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
992	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
996		Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1003		Pentachlorophenol
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1006		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compounds containing Zinc
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1084		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1153		Mecoprop
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1164		Mecoprop
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref # Circumstances

Chemical

1200

Pendimethalin

The storage of agricultural source material.

Ref # Circumstances

Chemical

1201 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

Nitrogen

1203 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

1205 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

1207 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

1209 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1211 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

1213 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

1215 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

1217 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1219 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

1221 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

1223 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref # Circumstances

Chemical

1229 1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.

Carbon Tetrachloride

1230

Chloroform

1231

Methylene Chloride
(Dichloromethane)

1233 1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.

Carbon Tetrachloride

1234

Chloroform

1235

Methylene Chloride
(Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1244		Pentachlorophenol
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1330		Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1335		Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1360		Petroleum Hydrocarbons F1 (nC6-nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1454		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1455		Zinc or one or more of its compounds containing Zinc
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead
1460		Nitrogen
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1479		Copper or one or more of its compounds containing Copper
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1548		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1582		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1718		Carbofuran
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1731		Trichloroethane-1,1,1
1732		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1733		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1736		Atrazine
1737		Barium
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran
1743		Chlorobenzene
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1746		Dichlorobenzene-1,2 (ortho)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1758		Zinc or one or more of its compounds containing Zinc
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1761		Barium
1763		Bis(2-ethylhexyl) phthalate
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene
1774		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1778		Trichlorobenzene-1,2,4
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1782		Zinc or one or more of its compounds containing Zinc
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1785		Barium
1786		Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1798		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1810		Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade.	Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 18 (CSGRAHVA6L): Chemicals in an SGRA or HVA with a vulnerability score of 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade.	Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
60	1.The area of land to which the pesticide is applied is less than 1 hectare.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The application of pesticide to land.

Ref #	Circumstances	Chemical
69		Dichloropropene-1,3
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
239	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
246		one or more Polychlorinated Biphenyls (PCBs)
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
316	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
319		Chromium VI
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
381		Mercury or one or more of its compounds containing Mercury
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
395		Chromium VI
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
449	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
452		Chromium VI
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
507	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
510		Boron
511		Bromomethane
512		BTEX
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
519		Chloroform
520		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
521		Cobalt or one or more of its compounds containing Cobalt
523		Cyanide (CN-)
526		Dichloroethane-1,2
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
533		Hydroquinone
535		Lead or one or more of its compounds containing Lead
537		Mercury or one or more of its compounds containing Mercury
541		Molybdenum
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
746	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
753		one or more Polychlorinated Biphenyls (PCBs)
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
836		Cadmium or one or more of its compounds containing Cadmium
838		Chromium VI
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
865		Dibutyl phthalate
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1060	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1064		Mercury or one or more of its compounds containing Mercury
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1086	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1090		Mercury or one or more of its compounds containing Mercury
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1173	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1184	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1198		Metalaxyl
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1447	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The storage of snow.

Ref #	Circumstances	Chemical
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1552		Mercury or one or more of its compounds containing Mercury
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1621		Mercury or one or more of its compounds containing Mercury
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1654		Cadmium or one or more of its compounds containing Cadmium
1657		Mercury or one or more of its compounds containing Mercury
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1690		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1693		Mercury or one or more of its compounds containing Mercury
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste**

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 19 (CIPZ10S): Chemicals in an IPZ with a vulnerability of 10 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1920		Mercury or one or more of its compounds containing Mercury
1934		Arsenic or one or more of its compounds containing Arsenic
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1940		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The application of pesticide to land.

Ref #	Circumstances	Chemical
71	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3. **Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

Ref #	Circumstances	Chemical
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
252	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
259		one or more Polychlorinated Biphenyls (PCBs)
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
335	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
338		Chromium VI
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
411	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
414		Chromium VI
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
468	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
471		Chromium VI
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
569	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
759	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
766		one or more Polychlorinated Biphenyls (PCBs)
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
860		Cadmium or one or more of its compounds containing Cadmium
862		Chromium VI
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1195	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1197		Mecoprop

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1492	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Lead or one or more of its compounds containing Lead
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The storage of snow.

Ref #	Circumstances	Chemical
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1630		Chromium VI
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 20 (CIPZWE9S): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are significant

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1673		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1709		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1887		Chromium VI
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1907		Chromium VI

PROVINCIAL TABLE 21 (CIPZWE8.1S): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are significant

The application of pesticide to land.

Ref #	Circumstances	Chemical
82	1.The area of land to which the pesticide is applied is more than 10 hectares.	MCPA (2-methyl-4-chlorophenoxyacetic acid)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
269	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
272		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
487	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
495		Mercury or one or more of its compounds containing Mercury

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
570	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
600		Mercury or one or more of its compounds containing Mercury
609		one or more Adsorbable Organic Halides (AOXs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
776	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
779		one or more Polychlorinated Biphenyls (PCBs)

PROVINCIAL TABLE 21 (CIPZWE8.1S): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 22 (CIPZWE8S): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
269	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
272		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
487	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
495		Mercury or one or more of its compounds containing Mercury

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
570	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
600		Mercury or one or more of its compounds containing Mercury
609		one or more Adsorbable Organic Halides (AOXs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
776	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
779		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 22 (CIPZWE88): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are significant

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
70	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Glyphosate
75		Metolachlor or s-Metolachlor

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. **Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)**

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The handling and storage of fuel.****Threat Subcategory: Handling Of Fuel**

Ref #	Circumstances	Chemical
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
179	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
212	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
213		Cadmium or one or more of its compounds containing Cadmium
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
218		Nitrogen
219		Nitrosodimethylamine-N (NDMA)
220		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
240		Copper or one or more of its compounds containing Copper
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
247		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
278	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
281		Chromium VI
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
318		Chloride
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
394		Chloride
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
451		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
518		Chloride
522		Copper or one or more of its compounds containing Copper
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
527		Ethylene Glycol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
528		Formaldehyde
532		Hydrazine or its salts
534		Iron
536		Manganese or one or more of its compounds containing Manganese
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
542		Naphthalene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
553		Phenol (or its salts)
554		Phosphorus (total)
558		Styrene
559		Sulphide (Hydrogen)
567		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
698	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Nitrogen
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
710	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Nitrogen
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
719	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
720		Cadmium or one or more of its compounds containing Cadmium
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury
725		Nitrogen
726		Nitrosodimethylamine-N (NDMA)
727		one or more Polychlorinated Biphenyls (PCBs)
728		Pentachlorophenol
729		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
747		Copper or one or more of its compounds containing Copper
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
757		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
792		Cyanide (CN-)
796		Dichlorophenol-2,4
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
806		Silver or one or more of its compounds containing Silver
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
828		Phenol (or its salts)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
834	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Barium
835		BTEX
837		Chlorophenol-2
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
866	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Dichlorobenzene-1,2 (ortho)
876		Phenol (or its salts)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
989		one or more Polychlorinated Biphenyls (PCBs)
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1131		Mecoprop
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1142		Mecoprop
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1150		Glyphosate
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1194	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1199		Metolachlor or s-Metolachlor

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)

The handling and storage of an organic solvent.**Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1250	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1258	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The handling and storage of commercial fertilizer.****Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1386	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1401	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1434		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1473	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1480	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1547	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.****Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines**

Ref #	Circumstances	Chemical
1571		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.**Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste**

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1594	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.**Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)**

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1616	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)**

Ref #	Circumstances	Chemical
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1652	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1653		BTEX
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1688	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1689		BTEX
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1789		Cadmium or one or more of its compounds containing Cadmium
1799		Mercury or one or more of its compounds containing Mercury
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1817		Cyanide (CN-)
1820		Hexachlorobenzene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1903		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924		Arsenic or one or more of its compounds containing Arsenic
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1935		Barium
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1941		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 23 (CIPZ10M): Chemicals in an IPZ with a vulnerability of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
28		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
81	1.The area of land to which the pesticide is applied is more than 10 hectares.	Glyphosate
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
217	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
220		one or more Polychlorinated Biphenyls (PCBs)
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
253		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
254		Hexachlorobenzene
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
278	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
286		Mercury or one or more of its compounds containing Mercury
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
337		Chloride
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
357		Chromium VI
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
413		Chloride
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
421		Nitrogen
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
470		Chloride
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
485		Zinc or one or more of its compounds containing Zinc
492	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Glyphosate
499		Petroleum Hydrocarbons F1 (nC6-nC10)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
571		Biphenyl-1,1'
577		Butyl-n alcohol
587		Dichlorobenzene-1,2 (ortho)
602		Methyl ethyl ketone
612		Petroleum Hydrocarbons F1 (nC6-nC10)
616		Phenol (or its salts)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
693		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
702	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Chloride
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
714	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Chloride
716		Nitrogen
717		Phosphorus (total)
718		Sodium

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
724	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
727		one or more Polychlorinated Biphenyls (PCBs)
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
800		Mercury or one or more of its compounds containing Mercury
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
820		Dichlorophenol-2,4
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
858	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Barium
859		BTEX
861		Chlorophenol-2
863		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
890	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Dichlorobenzene-1,2 (ortho)
900		Phenol (or its salts)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1028		one or more Polychlorinated Biphenyls (PCBs)
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1129	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1140	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1153		Mecoprop
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1164		Mecoprop
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1172		Glyphosate
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1252		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1516	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1531		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1575	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1599	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1628	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1644		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1664	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1700	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

Ref #	Circumstances	Chemical
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1837		Cadmium or one or more of its compounds containing Cadmium
1847		Mercury or one or more of its compounds containing Mercury
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1865		Cyanide (CN-)
1868		Hexachlorobenzene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1885	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1903		Trichlorophenoxyacetic acid-2,4,5
1905	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 24 (CIPZWE9M): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. **Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)**

Ref #	Circumstances	Chemical
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
230	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
233		one or more Polychlorinated Biphenyls (PCBs)
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
305		Mercury or one or more of its compounds containing Mercury
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
320		Copper or one or more of its compounds containing Copper
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
376		Chromium VI
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
430	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
438		Mercury or one or more of its compounds containing Mercury
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
737	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
740		one or more Polychlorinated Biphenyls (PCBs)
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
844		Dichlorophenol-2,4
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
882	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1151	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1162	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1565		Mercury or one or more of its compounds containing Mercury
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 25 (CIPZWE8.1M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

Ref #	Circumstances	Chemical
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
230	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
233		one or more Polychlorinated Biphenyls (PCBs)
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
305		Mercury or one or more of its compounds containing Mercury
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
376		Chromium VI
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
430	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
438		Mercury or one or more of its compounds containing Mercury
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
737	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
740		one or more Polychlorinated Biphenyls (PCBs)
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
844		Dichlorophenol-2,4
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
882	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1151	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1162	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1565		Mercury or one or more of its compounds containing Mercury
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 26 (CIPZWE8M): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
108	1. The above grade handling of a DNAPL in relation to its storage.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref # Circumstances

Chemical

177 1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.

BTEX

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref # Circumstances

Chemical

198 1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.

Dioxane-1,4

199

Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref # Circumstances

Chemical

202 1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.

Nitrogen

204 1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.

Nitrogen

205

Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref # Circumstances

Chemical

208 1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.

Nitrogen

210 1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.

Nitrogen

211

Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref # Circumstances

Chemical

243 1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.

Mercury or one or more of its compounds containing Mercury

246

one or more Polychlorinated Biphenyls (PCBs)

251 1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.

BTEX

252

Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
316	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
324		Mercury or one or more of its compounds containing Mercury
335	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
338		Chromium VI
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
395		Chromium VI
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
449	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
457		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
468	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
471		Chromium VI
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496	Nickel or one or more of its compounds containing Nickel	
497	Nitrogen	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
507	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
511		Bromomethane
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
520		Chromium VI
529		Hexachlorobenzene
530		Hexachlorobutadiene
533		Hydroquinone
535		Lead or one or more of its compounds containing Lead
537		Mercury or one or more of its compounds containing Mercury
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
750	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
753		one or more Polychlorinated Biphenyls (PCBs)
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
864		Cyanide (CN-)
868		Dichlorophenol-2,4
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
878		Silver or one or more of its compounds containing Silver
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1099	1. The storage of a DNAPL at or above grade.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1109	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1197		Mecoprop

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1469	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1582		Silver or one or more of its compounds containing Silver

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 27 (CIPZWE7.2M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

Ref #	Circumstances	Chemical
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
67	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Dicamba
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. **Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)**

Ref #	Circumstances	Chemical
111	1. The above grade handling of a DNAPL in relation to its storage.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel. **Threat Subcategory: Handling Of Fuel**

Ref #	Circumstances	Chemical
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3. **Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)**

Ref #	Circumstances	Chemical
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3. **Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

Ref #	Circumstances	Chemical
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
259		one or more Polychlorinated Biphenyls (PCBs)
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
335	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
338		Chromium VI
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
395		Chromium VI
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
468	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
471		Chromium VI
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
477		Nickel or one or more of its compounds containing Nickel
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
507	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
516		Cadmium or one or more of its compounds containing Cadmium
520		Chromium VI
530		Hexachlorobutadiene
535		Lead or one or more of its compounds containing Lead
537		Mercury or one or more of its compounds containing Mercury
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

Ref #	Circumstances	Chemical
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
766		one or more Polychlorinated Biphenyls (PCBs)
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
862		Chromium VI
864		Cyanide (CN-)
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
878		Silver or one or more of its compounds containing Silver
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1102	1. The storage of a DNAPL at or above grade.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1112	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1191	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Dicamba
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1197		Mecoprop

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1470	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Lead or one or more of its compounds containing Lead
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1498		Sodium
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1582		Silver or one or more of its compounds containing Silver

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1635		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1671		Selenium or one or more of its compounds containing Selenium
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1707		Selenium or one or more of its compounds containing Selenium
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 28 (CIPZWE7M): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium

PROVINCIAL TABLE 29 (CIPZWE6.4M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
78	1.The area of land to which the pesticide is applied is more than 10 hectares.	Dicamba
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
84		Mecoprop

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
272		one or more Polychlorinated Biphenyls (PCBs)
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
411	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
414		Chromium VI
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 29 (CIPZWE6.4M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
487	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
490		Chromium VI
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
570	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
574		Bromomethane
575		BTEX
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
583		Chromium VI
586		Cyanide (CN-)
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
596		Hydroquinone
598		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 29 (CIPZWE6.4M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
600		Mercury or one or more of its compounds containing Mercury
604		Molybdenum
606		Nickel or one or more of its compounds containing Nickel
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
623		Tetrachlorobenzene-1,2,4,5
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
779		one or more Polychlorinated Biphenyls (PCBs)

PROVINCIAL TABLE 29 (CIPZWE6.4M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
886		Chromium VI
888		Cyanide (CN-)
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
902		Silver or one or more of its compounds containing Silver

The storage of snow.

Ref #	Circumstances	Chemical
1514	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Lead or one or more of its compounds containing Lead

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 30 (CIPZWE6.3M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
82	1.The area of land to which the pesticide is applied is more than 10 hectares.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
84		Mecoprop

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
265	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
272		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
411	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
419		Mercury or one or more of its compounds containing Mercury
487	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
490		Chromium VI
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

PROVINCIAL TABLE 30 (CIPZWE6.3M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
570	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
574		Bromomethane
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
583		Chromium VI
592		Hexachlorobenzene
593		Hexachlorobutadiene
596		Hydroquinone
598		Lead or one or more of its compounds containing Lead
600		Mercury or one or more of its compounds containing Mercury
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
772	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
779		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 30 (CIPZWE6.3M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
881		Arsenic or one or more of its compounds containing Arsenic
884		Cadmium or one or more of its compounds containing Cadmium
886		Chromium VI
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
112	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
113		Petroleum Hydrocarbons F1 (nC6-nC10)
114		Petroleum Hydrocarbons F4 (>nC34)
115		Petroleum Hydrocarbons F2 (>nC10-nC16)
116		Petroleum Hydrocarbons F3 (>nC16-nC34)
118	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
119		Petroleum Hydrocarbons F4 (>nC34)
120		Petroleum Hydrocarbons F2 (>nC10-nC16)
121		Petroleum Hydrocarbons F3 (>nC16-nC34)
122	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
127	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	
133	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
134		Petroleum Hydrocarbons F4 (>nC34)
135		Petroleum Hydrocarbons F2 (>nC10-nC16)
136		Petroleum Hydrocarbons F3 (>nC16-nC34)
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
143		Petroleum Hydrocarbons F1 (nC6-nC10)
144		Petroleum Hydrocarbons F4 (>nC34)
145		Petroleum Hydrocarbons F2 (>nC10-nC16)
146		Petroleum Hydrocarbons F3 (>nC16-nC34)
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
148		Petroleum Hydrocarbons F1 (nC6-nC10)
149		Petroleum Hydrocarbons F4 (>nC34)
150		Petroleum Hydrocarbons F2 (>nC10-nC16)
151		Petroleum Hydrocarbons F3 (>nC16-nC34)
163	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
168	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
214	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
224		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
280		Chloride
282		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
283		Glyphosate
290		Petroleum Hydrocarbons F1 (nC6-nC10)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
294		Phosphorus (total)
295		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
645		Copper or one or more of its compounds containing Copper
647		Hexachlorobenzene
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
650		Nitrogen
651		one or more Polychlorinated Biphenyls (PCBs)
652		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
654		Phosphorus (total)
655		Zinc or one or more of its compounds containing Zinc
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
658		Copper or one or more of its compounds containing Copper
659		Dichlorobenzidine-3,3'
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
666		Pentachlorophenol
667		Phosphorus (total)
668		Zinc or one or more of its compounds containing Zinc
671	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
679		Pentachlorophenol
680		Phosphorus (total)
681		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
699		Phosphorus (total)
700		Sodium

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
711		Phosphorus (total)
712		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
721	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
731		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
791	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
793		Dibutyl phthalate
794		Dichlorobenzene-1,2 (ortho)
795		Dichlorobenzene-1,4 (para)
797		Ethylene Glycol
804		Phenol (or its salts)
805		Phosphorus (total)
807		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
904	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
905		Cadmium or one or more of its compounds containing Cadmium
906		Copper or one or more of its compounds containing Copper
907		Hexachlorobenzene
908		Lead or one or more of its compounds containing Lead
909		Mercury or one or more of its compounds containing Mercury
910		Nitrogen
911		Nitrosodimethylamine-N (NDMA)
912		one or more Polychlorinated Biphenyls (PCBs)
913		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
914		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
915		Zinc or one or more of its compounds containing Zinc
942	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
944		Copper or one or more of its compounds containing Copper
945		Hexachlorobenzene
946		Lead or one or more of its compounds containing Lead
947		Mercury or one or more of its compounds containing Mercury
948		Nitrogen
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
951		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
954		Zinc or one or more of its compounds containing Zinc
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
957		Copper or one or more of its compounds containing Copper
958		Hexachlorobenzene
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
961		Nitrogen
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
965		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
966		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
967		Zinc or one or more of its compounds containing Zinc
983	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
990		Pentachlorophenol
993		Zinc or one or more of its compounds containing Zinc
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
995		Cadmium or one or more of its compounds containing Cadmium
996		Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1003		Pentachlorophenol
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1006		Zinc or one or more of its compounds containing Zinc
1035	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1042		Pentachlorophenol
1045		Zinc or one or more of its compounds containing Zinc
929	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
930		Cadmium or one or more of its compounds containing Cadmium
931		Copper or one or more of its compounds containing Copper
932		Hexachlorobenzene
933		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
934		Mercury or one or more of its compounds containing Mercury
935		Nitrogen
936		Nitrosodimethylamine-N (NDMA)
937		one or more Polychlorinated Biphenyls (PCBs)
939		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
940		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
941		Zinc or one or more of its compounds containing Zinc
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium
970		Copper or one or more of its compounds containing Copper
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
977		Pentachlorophenol
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
980		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1009	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1016		Pentachlorophenol
1019		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1114		Dicamba
1115		Dichlorophenoxy Acetic Acid (D-2,4)
1116		Dichloropropene-1,3
1117		Glyphosate
1118		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1119		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1120		Mecoprop
1121		Metalaxyl
1122		Metolachlor or s-Metolachlor
1123		Pendimethalin
1127	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Dichloropropene-1,3
1128		Glyphosate
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin
1138	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Dichloropropene-1,3
1139		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1206		Phosphorus (total)
1214	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1227	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Methylene Chloride (Dichloromethane)
1228		Pentachlorophenol
1229	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1230		Chloroform
1231		Methylene Chloride (Dichloromethane)
1235	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	
1236		Pentachlorophenol
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1244		Pentachlorophenol
1255	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

Ref #	Circumstances	Chemical
1273	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1274		Phosphorus (total)
1276	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	
1278	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1289	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1290		Petroleum Hydrocarbons F1 (nC6-nC10)
1291		Petroleum Hydrocarbons F4 (>nC34)
1292		Petroleum Hydrocarbons F2 (>nC10-nC16)
1293		Petroleum Hydrocarbons F3 (>nC16-nC34)
1295	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10-nC16)
1298		Petroleum Hydrocarbons F3 (>nC16-nC34)
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1320	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)
1322		Petroleum Hydrocarbons F2 (>nC10-nC16)
1323		Petroleum Hydrocarbons F3 (>nC16-nC34)
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1330		Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1335		Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1360	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1365	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1310	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1315		Petroleum Hydrocarbons F1 (nC6-nC10)
1316		Petroleum Hydrocarbons F4 (>nC34)
1317		Petroleum Hydrocarbons F2 (>nC10-nC16)
1318		Petroleum Hydrocarbons F3 (>nC16-nC34)
1345	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1414		Phosphorus (total)
1422	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1435	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1436		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1460		Nitrogen
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1479		Copper or one or more of its compounds containing Copper
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1506	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1536	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1540		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1541		Nitrogen
1542		Phosphorus (total)
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1713		Barium
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1718		Carbofuran
1720		Copper or one or more of its compounds containing Copper
1721		Cyanide (CN-)
1723		Dichlorobenzene-1,4 (para)
1724		Hexachlorobenzene
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1730		Trichlorobenzene-1,2,4
1731		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1732		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1733		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1734		Zinc or one or more of its compounds containing Zinc
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1736		Atrazine
1737		Barium
1739		Bis(2-ethylhexyl) phthalate
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran
1743		Chlorobenzene
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1746		Dichlorobenzene-1,2 (ortho)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene
1749		Hexachlorocyclopentadiene
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1758		Zinc or one or more of its compounds containing Zinc
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1761		Barium
1762		Bis(2-ethylhexyl) adipate
1763		Bis(2-ethylhexyl) phthalate
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene
1774		Lead or one or more of its compounds containing Lead
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1778		Trichlorobenzene-1,2,4
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1782		Zinc or one or more of its compounds containing Zinc
1784	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Atrazine
1785		Barium
1786		Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1788		BTEX
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1798		Lead or one or more of its compounds containing Lead
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1806		Zinc or one or more of its compounds containing Zinc
1809	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Barium
1810		Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 31 (CIPZWE10L): Chemicals in an IPZ with a vulnerability of 10 where threats are low**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1821		Hexachlorocyclopentadiene
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1830		Zinc or one or more of its compounds containing Zinc
1834	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1842		Dichlorobenzene-1,2 (ortho)
1845		Hexachlorocyclopentadiene
1858	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Bis(2-ethylhexyl) adipate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1925	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade.	Barium

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
112	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
113		Petroleum Hydrocarbons F1 (nC6-nC10)
114		Petroleum Hydrocarbons F4 (>nC34)
115		Petroleum Hydrocarbons F2 (>nC10-nC16)
116		Petroleum Hydrocarbons F3 (>nC16-nC34)
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
118		Petroleum Hydrocarbons F1 (nC6-nC10)
119		Petroleum Hydrocarbons F4 (>nC34)
120		Petroleum Hydrocarbons F2 (>nC10-nC16)
121		Petroleum Hydrocarbons F3 (>nC16-nC34)
122	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
127	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
133		Petroleum Hydrocarbons F1 (nC6-nC10)
134		Petroleum Hydrocarbons F4 (>nC34)
135		Petroleum Hydrocarbons F2 (>nC10-nC16)
136		Petroleum Hydrocarbons F3 (>nC16-nC34)
138	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
143		Petroleum Hydrocarbons F1 (nC6-nC10)
144		Petroleum Hydrocarbons F4 (>nC34)
145		Petroleum Hydrocarbons F2 (>nC10-nC16)
146		Petroleum Hydrocarbons F3 (>nC16-nC34)
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
148		Petroleum Hydrocarbons F1 (nC6-nC10)
149		Petroleum Hydrocarbons F4 (>nC34)
150		Petroleum Hydrocarbons F2 (>nC10-nC16)
151		Petroleum Hydrocarbons F3 (>nC16-nC34)
153	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)
183	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
188	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
193	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Ethylene Glycol

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
212	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
213		Cadmium or one or more of its compounds containing Cadmium
214		Copper or one or more of its compounds containing Copper
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
218		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
219		Nitrosodimethylamine-N (NDMA)
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
224		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
282		Copper or one or more of its compounds containing Copper
283		Glyphosate
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
290		Petroleum Hydrocarbons F1 (nC6-nC10)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
294		Phosphorus (total)
295		Zinc or one or more of its compounds containing Zinc
302	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Glyphosate
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
356		Chloride
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
435	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Glyphosate
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
651		one or more Polychlorinated Biphenyls (PCBs)
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
658		Copper or one or more of its compounds containing Copper
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
666		Pentachlorophenol
667		Phosphorus (total)
668		Zinc or one or more of its compounds containing Zinc
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
680		Phosphorus (total)
681		Zinc or one or more of its compounds containing Zinc
684	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
692		Pentachlorophenol
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
699		Phosphorus (total)
700		Sodium
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
703		Dichlorobenzene-1,4 (para)

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
711		Phosphorus (total)
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
715		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
719	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
720		Cadmium or one or more of its compounds containing Cadmium
721		Copper or one or more of its compounds containing Copper
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
725		Nitrogen
726		Nitrosodimethylamine-N (NDMA)
728		Pentachlorophenol
729		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
731		Zinc or one or more of its compounds containing Zinc

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
786	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)
793		Dibutyl phthalate
794		Dichlorobenzene-1,2 (ortho)
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
804		Phenol (or its salts)
805		Phosphorus (total)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
817	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)
821		Ethylene Glycol
828		Phenol (or its salts)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
904	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
905		Cadmium or one or more of its compounds containing Cadmium
908		Lead or one or more of its compounds containing Lead
909		Mercury or one or more of its compounds containing Mercury
911		Nitrosodimethylamine-N (NDMA)
912		one or more Polychlorinated Biphenyls (PCBs)
914		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
942	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
944		Copper or one or more of its compounds containing Copper
945		Hexachlorobenzene
946		Lead or one or more of its compounds containing Lead
947		Mercury or one or more of its compounds containing Mercury
948		Nitrogen
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
951		Pentachlorophenol
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
954		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
966		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
983		Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
993		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
996		Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1003		Pentachlorophenol
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1006		Zinc or one or more of its compounds containing Zinc
1022	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1029		Pentachlorophenol
1032		Zinc or one or more of its compounds containing Zinc
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1074	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1081		Pentachlorophenol
1084		Zinc or one or more of its compounds containing Zinc
929	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
930		Cadmium or one or more of its compounds containing Cadmium
933		Lead or one or more of its compounds containing Lead
934		Mercury or one or more of its compounds containing Mercury
936		Nitrosodimethylamine-N (NDMA)
937		one or more Polychlorinated Biphenyls (PCBs)
940		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
969		Cadmium or one or more of its compounds containing Cadmium
970		Copper or one or more of its compounds containing Copper
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
977		Pentachlorophenol
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
980		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compounds containing Zinc
1048	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1055		Pentachlorophenol
1058		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1114		Dicamba
1115		Dichlorophenoxy Acetic Acid (D-2,4)
1116		Dichloropropene-1,3
1118		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1119		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1120		Mecoprop
1121		Metalaxyl
1122		Metolachlor or s-Metolachlor
1123		Pendimethalin
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1128		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1131		Mecoprop
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1139		Glyphosate
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1142		Mecoprop
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin
1150	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Glyphosate
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1161	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Glyphosate
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

Ref #	Circumstances	Chemical
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1206		Phosphorus (total)
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1214		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1228		Pentachlorophenol
1229	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1230		Chloroform
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1240	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Pentachlorophenol
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1244		Pentachlorophenol
1248	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1268	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1273	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1274		Phosphorus (total)
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1276		Phosphorus (total)
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1278		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1289	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1290		Petroleum Hydrocarbons F1 (nC6-nC10)
1291		Petroleum Hydrocarbons F4 (>nC34)
1292		Petroleum Hydrocarbons F2 (>nC10-nC16)
1293		Petroleum Hydrocarbons F3 (>nC16-nC34)
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1295		Petroleum Hydrocarbons F1 (nC6-nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10-nC16)
1298		Petroleum Hydrocarbons F3 (>nC16-nC34)
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1320		Petroleum Hydrocarbons F1 (nC6-nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1322		Petroleum Hydrocarbons F2 (>nC10-nC16)
1323		Petroleum Hydrocarbons F3 (>nC16-nC34)
1325	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1330		Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1335		Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1350	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1360		Petroleum Hydrocarbons F1 (nC6-nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1390	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1395	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1315		Petroleum Hydrocarbons F1 (nC6-nC10)
1316		Petroleum Hydrocarbons F4 (>nC34)
1317		Petroleum Hydrocarbons F2 (>nC10-nC16)
1318		Petroleum Hydrocarbons F3 (>nC16-nC34)
1340	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1375	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1414		Phosphorus (total)
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1422		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1435	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1436		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead
1460		Nitrogen
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1479		Copper or one or more of its compounds containing Copper
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1523	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Copper or one or more of its compounds containing Copper
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1532		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1542		Phosphorus (total)
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1604	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1640	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1643		Dichlorobenzene-1,4 (para)

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1676	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1679		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1733		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1736		Atrazine
1737		Barium
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1758		Zinc or one or more of its compounds containing Zinc
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1761		Barium
1763		Bis(2-ethylhexyl) phthalate
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene
1774		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1778		Trichlorobenzene-1,2,4
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1782		Zinc or one or more of its compounds containing Zinc
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1785		Barium
1786		Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1798		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1810		Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1832	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1854		Zinc or one or more of its compounds containing Zinc
1857	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1869		Hexachlorocyclopentadiene
1874		Trichlorobenzene-1,2,4
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1895	1. Hazardous waste or liquid industrial waste is stored below grade.	Barium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1924	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade.	Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 32 (CIPZWE9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
59	1.The area of land to which the pesticide is applied is less than 1 hectare.	Glyphosate
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
112	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	
118		Petroleum Hydrocarbons F1 (nC6-nC10)
119		Petroleum Hydrocarbons F4 (>nC34)
120		Petroleum Hydrocarbons F2 (>nC10-nC16)
121		Petroleum Hydrocarbons F3 (>nC16-nC34)
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
133		Petroleum Hydrocarbons F1 (nC6-nC10)
134		Petroleum Hydrocarbons F4 (>nC34)
135		Petroleum Hydrocarbons F2 (>nC10-nC16)
136		Petroleum Hydrocarbons F3 (>nC16-nC34)
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
158	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
173	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
195	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Ethylene Glycol

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
212	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
213		Cadmium or one or more of its compounds containing Cadmium
214		Copper or one or more of its compounds containing Copper
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
218		Nitrogen
219		Nitrosodimethylamine-N (NDMA)
220		one or more Polychlorinated Biphenyls (PCBs)
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
224		Zinc or one or more of its compounds containing Zinc
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
278		Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
282		Copper or one or more of its compounds containing Copper
283		Glyphosate
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
290		Petroleum Hydrocarbons F1 (nC6-nC10)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)
294		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
295		Zinc or one or more of its compounds containing Zinc
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
321	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Glyphosate
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
375		Chloride
377		Copper or one or more of its compounds containing Copper
378		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
454	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Glyphosate
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
524	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Dichlorobenzene-1,2 (ortho)
553		Phenol (or its salts)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
667		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
680		Phosphorus (total)
681		Zinc or one or more of its compounds containing Zinc
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
699		Phosphorus (total)
700		Sodium
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
711		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
719	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
720		Cadmium or one or more of its compounds containing Cadmium
721		Copper or one or more of its compounds containing Copper
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury
725		Nitrogen
726		Nitrosodimethylamine-N (NDMA)
727		one or more Polychlorinated Biphenyls (PCBs)
728		Pentachlorophenol
729		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
731		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
793		Dibutyl phthalate
794		Dichlorobenzene-1,2 (ortho)
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
804		Phenol (or its salts)
805		Phosphorus (total)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
810	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
828		Phenol (or its salts)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
841	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
845		Ethylene Glycol
852		Phenol (or its salts)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
942	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
945		Hexachlorobenzene
946		Lead or one or more of its compounds containing Lead
947		Mercury or one or more of its compounds containing Mercury
948		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
983		Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
993		Zinc or one or more of its compounds containing Zinc
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
997		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1061	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1068		Pentachlorophenol
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compounds containing Zinc
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1087	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1094		Pentachlorophenol
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1114		Dicamba
1115		Dichlorophenoxy Acetic Acid (D-2,4)
1116		Dichloropropene-1,3
1118		MCPA (2-methyl-4-chlorophenoxyacetic acid)

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1119		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1120		Mecoprop
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1128		Glyphosate
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1131		Mecoprop
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1139		Glyphosate
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1142		Mecoprop
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1149		Dichloropropene-1,3
1150		Glyphosate
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1172	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Glyphosate
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1183	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1206		Phosphorus (total)
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1214		Phosphorus (total)
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1228		Pentachlorophenol
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1248		Pentachlorophenol
1252	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1260	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1273	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1274		Phosphorus (total)
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1276		Phosphorus (total)
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1278		Phosphorus (total)
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1289	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1295		Petroleum Hydrocarbons F1 (nC6-nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10-nC16)
1298		Petroleum Hydrocarbons F3 (>nC16-nC34)
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1320		Petroleum Hydrocarbons F1 (nC6-nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)
1322		Petroleum Hydrocarbons F2 (>nC10-nC16)
1323		Petroleum Hydrocarbons F3 (>nC16-nC34)
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1355	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1360		Petroleum Hydrocarbons F1 (nC6-nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1380	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1370	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1405	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1414		Phosphorus (total)
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1422		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref # Circumstances

1430

Chemical

Phosphorus (total)

The handling and storage of road salt.

Ref # Circumstances

1435 1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.

1436

Chemical

Chloride

Sodium

1439 1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.

1440

Chloride

Sodium

The storage of snow.

Ref # Circumstances

1452 1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

1456 1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

1457

1458

1459

1460

1461

1462

1463

1464

1465

1466

1478 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.

1479

1480

1481

Chemical

Petroleum Hydrocarbons F2 (>nC10-nC16)

Chloride

Copper or one or more of its compounds containing Copper

Cyanide (CN-)

Lead or one or more of its compounds containing Lead

Nitrogen

Petroleum Hydrocarbons F1 (nC6-nC10)

Petroleum Hydrocarbons F4 (>nC34)

Petroleum Hydrocarbons F2 (>nC10-nC16)

Petroleum Hydrocarbons F3 (>nC16-nC34)

Sodium

Zinc or one or more of its compounds containing Zinc

Chloride

Copper or one or more of its compounds containing Copper

Cyanide (CN-)

Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1482		Nitrogen
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1542		Phosphorus (total)
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1549	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1553		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1560	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1587	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1616	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1652	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1655		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1688	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1691		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1761		Barium
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1769		Cyanide (CN-)
1772		Hexachlorobenzene
1774		Lead or one or more of its compounds containing Lead
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1777		Oxamyl
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1785		Barium
1787		Bis(2-ethylhexyl) phthalate
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1798		Lead or one or more of its compounds containing Lead
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1810		Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - PCB Waste Storage**

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 33 (CIPZWE8.1L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8.1 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1924		Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1935		Barium

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
59	1.The area of land to which the pesticide is applied is less than 1 hectare.	Glyphosate
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
112	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	
118		Petroleum Hydrocarbons F1 (nC6-nC10)
119		Petroleum Hydrocarbons F4 (>nC34)
120		Petroleum Hydrocarbons F2 (>nC10-nC16)
121		Petroleum Hydrocarbons F3 (>nC16-nC34)
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
133		Petroleum Hydrocarbons F1 (nC6-nC10)
134		Petroleum Hydrocarbons F4 (>nC34)
135		Petroleum Hydrocarbons F2 (>nC10-nC16)
136		Petroleum Hydrocarbons F3 (>nC16-nC34)
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
158	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
173	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
195	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Ethylene Glycol

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
212	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
213		Cadmium or one or more of its compounds containing Cadmium
214		Copper or one or more of its compounds containing Copper
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
218		Nitrogen
219		Nitrosodimethylamine-N (NDMA)
220		one or more Polychlorinated Biphenyls (PCBs)
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
224		Zinc or one or more of its compounds containing Zinc
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
278		Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
282		Copper or one or more of its compounds containing Copper
283		Glyphosate
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
290		Petroleum Hydrocarbons F1 (nC6-nC10)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)
294		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
295		Zinc or one or more of its compounds containing Zinc
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
321	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Glyphosate
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
375		Chloride
377		Copper or one or more of its compounds containing Copper
378		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
454	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Glyphosate
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
524	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Dichlorobenzene-1,2 (ortho)
553		Phenol (or its salts)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
667		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
680		Phosphorus (total)
681		Zinc or one or more of its compounds containing Zinc
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
699		Phosphorus (total)
700		Sodium
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
711		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
719	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
720		Cadmium or one or more of its compounds containing Cadmium
721		Copper or one or more of its compounds containing Copper
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury
725		Nitrogen
726		Nitrosodimethylamine-N (NDMA)
727		one or more Polychlorinated Biphenyls (PCBs)
728		Pentachlorophenol
729		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
731		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
793		Dibutyl phthalate
794		Dichlorobenzene-1,2 (ortho)
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
804		Phenol (or its salts)
805		Phosphorus (total)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
810	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
828		Phenol (or its salts)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
841	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
845		Ethylene Glycol
852		Phenol (or its salts)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
942	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
945		Hexachlorobenzene
946		Lead or one or more of its compounds containing Lead
947		Mercury or one or more of its compounds containing Mercury
948		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
983		Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
993		Zinc or one or more of its compounds containing Zinc
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
997		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1061	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1068		Pentachlorophenol
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compounds containing Zinc
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1087	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1094		Pentachlorophenol
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1114		Dicamba
1115		Dichlorophenoxy Acetic Acid (D-2,4)
1116		Dichloropropene-1,3
1118		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1120		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1128		Glyphosate
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1131		Mecoprop
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1139		Glyphosate
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1142		Mecoprop
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1150		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1172	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Glyphosate
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1183	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

Ref #	Circumstances	Chemical
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1206		Phosphorus (total)
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1214		Phosphorus (total)
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1228		Pentachlorophenol
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1248		Pentachlorophenol
1252	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1260	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1273	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1274		Phosphorus (total)
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1276		Phosphorus (total)
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1278		Phosphorus (total)
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1289	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1295		Petroleum Hydrocarbons F1 (nC6-nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10-nC16)
1298		Petroleum Hydrocarbons F3 (>nC16-nC34)
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1320		Petroleum Hydrocarbons F1 (nC6-nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)
1322		Petroleum Hydrocarbons F2 (>nC10-nC16)
1323		Petroleum Hydrocarbons F3 (>nC16-nC34)
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1355	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1360		Petroleum Hydrocarbons F1 (nC6-nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1380	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1370	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1405	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1414		Phosphorus (total)
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1422		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref # Circumstances

1430

Chemical

Phosphorus (total)

The handling and storage of road salt.

Ref # Circumstances

1435 1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.

1436

Chemical

Chloride

1439 1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.

1440

Sodium

Chloride

The storage of snow.

Ref # Circumstances

1452 1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

1456 1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

1457

1458

1459

1460

1461

1462

1464

1465

1466

1478 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.

1479

1480

1481

1482

Chemical

Petroleum Hydrocarbons F2 (>nC10-nC16)

Chloride

Copper or one or more of its compounds containing Copper

Cyanide (CN-)

Lead or one or more of its compounds containing Lead

Nitrogen

Petroleum Hydrocarbons F1 (nC6-nC10)

Petroleum Hydrocarbons F4 (>nC34)

Petroleum Hydrocarbons F3 (>nC16-nC34)

Sodium

Zinc or one or more of its compounds containing Zinc

Chloride

Copper or one or more of its compounds containing Copper

Cyanide (CN-)

Lead or one or more of its compounds containing Lead

Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1542		Phosphorus (total)
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1549	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1560	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1587	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1616	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1652	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1655		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1688	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Barium
1691		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1741		Cadmium or one or more of its compounds containing Cadmium
1751		Mercury or one or more of its compounds containing Mercury
1757		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1760		Atrazine
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1769		Cyanide (CN-)
1772		Hexachlorobenzene
1774		Lead or one or more of its compounds containing Lead
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1784		Atrazine
1785		Barium
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1790		Carbofuran
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1798		Lead or one or more of its compounds containing Lead
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1802		Trichlorobenzene-1,2,4
1803		Trichloroethane-1,1,1
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1811		Bis(2-ethylhexyl) phthalate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1924		Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 34 (CIPZWE8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1933		Trichlorophenoxyacetic acid-2,4,5
1935		Barium

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
10	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
28	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
46	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
69	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Dichloropropene-1,3
70		Glyphosate
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The application of road salt.

Ref #	Circumstances	Chemical
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
99	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4

The handling and storage of fuel. Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
118		Petroleum Hydrocarbons F1 (nC6-nC10)
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
133		Petroleum Hydrocarbons F1 (nC6-nC10)
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
178	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
197		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
203	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
209	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
212	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
213		Cadmium or one or more of its compounds containing Cadmium
214		Copper or one or more of its compounds containing Copper
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
218		Nitrogen
219		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
220		one or more Polychlorinated Biphenyls (PCBs)
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
224		Zinc or one or more of its compounds containing Zinc
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
253	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
263		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
278		Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
282		Copper or one or more of its compounds containing Copper
283		Glyphosate
284		Lead or one or more of its compounds containing Lead
285		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
286		Mercury or one or more of its compounds containing Mercury
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
290		Petroleum Hydrocarbons F1 (nC6-nC10)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)
294		Phosphorus (total)
295		Zinc or one or more of its compounds containing Zinc
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
337		Chloride
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
394		Chloride
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
470		Chloride
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
512		BTEX
513		Butoxyethanol-2

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
514		Butyl-n alcohol
515		Butyl-tert alcohol
518		Chloride
519		Chloroform
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
531		Hexachloroethane
532		Hydrazine or its salts
534		Iron
536		Manganese or one or more of its compounds containing Manganese
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
657	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	Cadmium or one or more of its compounds containing Cadmium
662		Mercury or one or more of its compounds containing Mercury
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
680		Phosphorus (total)
681		Zinc or one or more of its compounds containing Zinc
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
699		Phosphorus (total)
700		Sodium
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
707	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
711		Phosphorus (total)
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
719	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
720		Cadmium or one or more of its compounds containing Cadmium
721		Copper or one or more of its compounds containing Copper
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury
725		Nitrogen
726		Nitrosodimethylamine-N (NDMA)
727		one or more Polychlorinated Biphenyls (PCBs)
728		Pentachlorophenol
729		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
731		Zinc or one or more of its compounds containing Zinc
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
760	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
770		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)
793		Dibutyl phthalate
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
805		Phosphorus (total)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
828		Phenol (or its salts)
829		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
834	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
863	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
867		Dichlorobenzene-1,4 (para)
869		Ethylene Glycol
876		Phenol (or its salts)
877		Phosphorus (total)
879		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
943	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
947		Mercury or one or more of its compounds containing Mercury
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
983		Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
993		Zinc or one or more of its compounds containing Zinc
995	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
999		Mercury or one or more of its compounds containing Mercury
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
969	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
973		Mercury or one or more of its compounds containing Mercury
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compounds containing Zinc
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1103	1. The storage of a DNAPL below grade.	
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1118	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1120		Mecoprop
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1131		Mecoprop
1132		Metalaxyl
1134		Pendimethalin
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1142		Mecoprop
1143		Metalaxyl
1145		Pendimethalin
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1150		Glyphosate
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1193	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Dichloropropene-1,3
1194		Glyphosate
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1210	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Phosphorus (total)
1212	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1214		Phosphorus (total)
1216	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1228		Pentachlorophenol
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1241	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1263	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1271	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1276		Phosphorus (total)
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1278		Phosphorus (total)
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1288	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1295		Petroleum Hydrocarbons F1 (nC6-nC10)
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1320		Petroleum Hydrocarbons F1 (nC6-nC10)
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1360		Petroleum Hydrocarbons F1 (nC6-nC10)
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6-nC10)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1385	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1400	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1418	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Phosphorus (total)
1420	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1422		Phosphorus (total)
1424	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1435	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1436		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1458	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead
1460		Nitrogen
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1479		Copper or one or more of its compounds containing Copper
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1483		Petroleum Hydrocarbons F1 (nC6-nC10)
1487		Sodium
1488		Zinc or one or more of its compounds containing Zinc
1495	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1543		Silver or one or more of its compounds containing Silver
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1575	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Copper or one or more of its compounds containing Copper
1581		Phosphorus (total)
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1593	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1628	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1664	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1667		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1700	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1703		Dichlorobenzene-1,4 (para)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1765		Cadmium or one or more of its compounds containing Cadmium
1775		Mercury or one or more of its compounds containing Mercury
1781		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1784		Atrazine
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1793		Cyanide (CN-)
1796		Hexachlorobenzene
1798		Lead or one or more of its compounds containing Lead
1799		Mercury or one or more of its compounds containing Mercury
1800		one or more Polychlorinated Biphenyls (PCBs)
1801		Oxamyl
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1885	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Barium
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1905	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Barium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924		Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 35 (CIPZWE7.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7.2 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
74		Metalaxyl
75		Metolachlor or s-Metolachlor

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
76		Pendimethalin
81	1.The area of land to which the pesticide is applied is more than 10 hectares.	Glyphosate

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. **Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)**

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
178	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
212	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
213		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
214		Copper or one or more of its compounds containing Copper
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
218		Nitrogen
219		Nitrosodimethylamine-N (NDMA)
220		one or more Polychlorinated Biphenyls (PCBs)
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
224		Zinc or one or more of its compounds containing Zinc
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
253	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
263		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
277	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
278		Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
280		Chloride
281		Chromium VI
282		Copper or one or more of its compounds containing Copper
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
287		Nickel or one or more of its compounds containing Nickel
288		Nitrogen
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
291		Petroleum Hydrocarbons F4 (>nC34)
292		Petroleum Hydrocarbons F2 (>nC10-nC16)
293		Petroleum Hydrocarbons F3 (>nC16-nC34)
294		Phosphorus (total)
295		Zinc or one or more of its compounds containing Zinc
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
337		Chloride
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
345		Nitrogen
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
351		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
352		Zinc or one or more of its compounds containing Zinc
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6-nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10-nC16)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
394		Chloride
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
416	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Glyphosate
423		Petroleum Hydrocarbons F1 (nC6-nC10)
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
470		Chloride
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
478		Nitrogen
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
517		Carbon Tetrachloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
518		Chloride
519		Chloroform
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
536		Manganese or one or more of its compounds containing Manganese
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
669	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
678		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
680		Phosphorus (total)
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
696	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Chloride
698		Nitrogen
699		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
700		Sodium
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
708	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is subject to the Ontario Building Code Act, 1992.	Chloride
710		Nitrogen
711		Phosphorus (total)
712		Sodium
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
719	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
720		Cadmium or one or more of its compounds containing Cadmium
721		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury
725		Nitrogen
726		Nitrosodimethylamine-N (NDMA)
727		one or more Polychlorinated Biphenyls (PCBs)
728		Pentachlorophenol
729		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
731		Zinc or one or more of its compounds containing Zinc
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
760	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
770		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)
793		Dibutyl phthalate
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
805		Phosphorus (total)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
828		Phenol (or its salts)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
858	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Barium
861		Chlorophenol-2
863		Copper or one or more of its compounds containing Copper
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
879		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc
1033	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1118	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1120		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1130		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1131		Mecoprop
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1141		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1142		Mecoprop
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1150		Glyphosate
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1213	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1214		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1255		Methylene Chloride (Dichloromethane)
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1262	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1270	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1276		Phosphorus (total)
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1278		Phosphorus (total)
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1359	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1364	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1385	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10-nC16)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10-nC16)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1400	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufactures or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1421	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1422		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1435	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1436		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1459	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Lead or one or more of its compounds containing Lead
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1478	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead
1482		Nitrogen
1487		Sodium
1490	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Copper or one or more of its compounds containing Copper
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1499		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1501		Copper or one or more of its compounds containing Copper
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1505		Petroleum Hydrocarbons F1 (nC6-nC10)
1506		Petroleum Hydrocarbons F4 (>nC34)
1507		Petroleum Hydrocarbons F2 (>nC10-nC16)
1508		Petroleum Hydrocarbons F3 (>nC16-nC34)
1509		Sodium
1510		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1528		Petroleum Hydrocarbons F4 (>nC34)
1529		Petroleum Hydrocarbons F2 (>nC10-nC16)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1543		Silver or one or more of its compounds containing Silver
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1575	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Copper or one or more of its compounds containing Copper
1580		Nitrogen
1581		Phosphorus (total)
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1592	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1628	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1634		one or more Polychlorinated Biphenyls (PCBs)
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1664	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1667		Dichlorobenzene-1,4 (para)
1670		Nitrogen
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1700	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Barium
1703		Dichlorobenzene-1,4 (para)
1706		Nitrogen
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1759	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1783	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1788		BTEX
1789		Cadmium or one or more of its compounds containing Cadmium
1798		Lead or one or more of its compounds containing Lead
1799		Mercury or one or more of its compounds containing Mercury
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1817		Cyanide (CN-)
1820		Hexachlorobenzene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1827		Trichloroethane-1,1,1
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1885	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Barium
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1905	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Barium
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924		Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 36 (CIPZWE7L): Chemicals in an IPZ or WHPA E where the vulnerability score is 7 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
103		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)
105		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel. Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
183		Petroleum Hydrocarbons F1 (nC6-nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
213	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
220		one or more Polychlorinated Biphenyls (PCBs)
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
266	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

Ref #	Circumstances	Chemical
278	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium
281		Chromium VI
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
353	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
413		Chloride
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
489		Chloride
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
497		Nitrogen
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
535		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
581		Chloride
582		Chloroform
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
595		Hydrazine or its salts

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
597		Iron
599		Manganese or one or more of its compounds containing Manganese
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
605		Naphthalene
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
616		Phenol (or its salts)
617		Phosphorus (total)
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
670	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	Cadmium or one or more of its compounds containing Cadmium
675		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

Ref #	Circumstances	Chemical
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. **Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water**

Ref #	Circumstances	Chemical
720	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury
727		one or more Polychlorinated Biphenyls (PCBs)
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
773	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
788		Cadmium or one or more of its compounds containing Cadmium
790		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
819		Dichlorobenzene-1,4 (para)
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
879		Zinc or one or more of its compounds containing Zinc
882	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Barium
885		Chlorophenol-2
887		Copper or one or more of its compounds containing Copper
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
982	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
986		Mercury or one or more of its compounds containing Mercury
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc
1034	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1038		Mercury or one or more of its compounds containing Mercury
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
1008	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1012		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1129	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1131		Mecoprop
1140	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1142		Mecoprop
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1391		Petroleum Hydrocarbons F4 (>nC34)
1393		Petroleum Hydrocarbons F3 (>nC16-nC34)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1398		Petroleum Hydrocarbons F3 (>nC16-nC34)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1376		Petroleum Hydrocarbons F4 (>nC34)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1500	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1502		Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1509		Sodium
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1528		Petroleum Hydrocarbons F4 (>nC34)
1530		Petroleum Hydrocarbons F3 (>nC16-nC34)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines**

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1539		Mercury or one or more of its compounds containing Mercury
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1598	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1813		Cadmium or one or more of its compounds containing Cadmium
1823		Mercury or one or more of its compounds containing Mercury
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1841		Cyanide (CN-)
1844		Hexachlorobenzene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1851		Trichloroethane-1,1,1
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 37 (CIPZWE6.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924		Arsenic or one or more of its compounds containing Arsenic
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1930		Mercury or one or more of its compounds containing Mercury
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The application of road salt.

Ref # Circumstances

95

Chemical

Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref # Circumstances

96 1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.

Chemical

Nitrogen

97

Phosphorus (total)

98 1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.

Nitrogen

99

Phosphorus (total)

100 1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.

Nitrogen

101

Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref # Circumstances

102 1. The below grade handling of a DNAPL in relation to its storage.

Chemical

Dioxane-1,4

103

one or more Polycyclic Aromatic Hydrocarbons (PAHs)

104

Tetrachloroethylene (PCE)

105

Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

106

Vinyl chloride or another DNAPL that could degrade to vinyl chloride

107 1. The above grade handling of a DNAPL in relation to its storage.

Dioxane-1,4

108

one or more Polycyclic Aromatic Hydrocarbons (PAHs)

109

Tetrachloroethylene (PCE)

110

Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

111

Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref # Circumstances

Chemical

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
138		Petroleum Hydrocarbons F1 (nC6-nC10)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
183		Petroleum Hydrocarbons F1 (nC6-nC10)
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6-nC10)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
213	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
220		one or more Polychlorinated Biphenyls (PCBs)
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
266		Copper or one or more of its compounds containing Copper
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
278	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
279		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
281		Chromium VI
284		Lead or one or more of its compounds containing Lead
285		Mecoprop
286		Mercury or one or more of its compounds containing Mercury
289		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6-nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10-nC16)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
357		Chromium VI
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
369		Petroleum Hydrocarbons F3 (>nC16-nC34)
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
412		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6-nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10-nC16)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum Chloride
489		Copper or one or more of its compounds containing Copper
491		Glyphosate
492		Nickel or one or more of its compounds containing Nickel
496		Nitrogen
497		Petroleum Hydrocarbons F1 (nC6-nC10)
499		Petroleum Hydrocarbons F4 (>nC34)
500		Petroleum Hydrocarbons F2 (>nC10-nC16)
501		Petroleum Hydrocarbons F3 (>nC16-nC34)
502		Phosphorus (total)
503		Zinc or one or more of its compounds containing Zinc
504		

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
535		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
581		Chloride
582		Chloroform
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
591		Formaldehyde
594		Hexachloroethane
595		Hydrazine or its salts
597		Iron
599		Manganese or one or more of its compounds containing Manganese
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
670	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	Cadmium or one or more of its compounds containing Cadmium
675		Mercury or one or more of its compounds containing Mercury
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
684		Copper or one or more of its compounds containing Copper
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692		Pentachlorophenol
693		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
694		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
701	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
713	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
714		Chloride
715		Dichlorobenzene-1,4 (para)
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
720	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
722		Hexachlorobenzene
723		Lead or one or more of its compounds containing Lead
724		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
727		one or more Polychlorinated Biphenyls (PCBs)
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
773		Copper or one or more of its compounds containing Copper
777		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
778		Nitrosodimethylamine-N (NDMA)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
788		Cadmium or one or more of its compounds containing Cadmium
790		Chromium VI
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
819		Dichlorobenzene-1,4 (para)
820		Dichlorophenol-2,4
821		Ethylene Glycol
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
882	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Barium
883		BTEX
885		Chlorophenol-2
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
897		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
982	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
986		Mercury or one or more of its compounds containing Mercury
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc
1034	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1038		Mercury or one or more of its compounds containing Mercury
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1081		Pentachlorophenol
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1084		Zinc or one or more of its compounds containing Zinc
1008	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1012		Mercury or one or more of its compounds containing Mercury
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1055		Pentachlorophenol
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1058		Zinc or one or more of its compounds containing Zinc
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1129	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1131		Mecoprop
1140	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1142		Mecoprop
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref # Circumstances

Chemical

1200

Pendimethalin

The storage of agricultural source material.

Ref # Circumstances

Chemical

1201 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

Nitrogen

1202

Phosphorus (total)

1203 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

Nitrogen

1204

Phosphorus (total)

1207 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.

Nitrogen

1208

Phosphorus (total)

1209 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1210

Phosphorus (total)

1211 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1212

Phosphorus (total)

1215 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1216

Phosphorus (total)

1217 1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1218

Phosphorus (total)

1219 1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1220

Phosphorus (total)

1221 1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1222

Phosphorus (total)

1223 1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.

Nitrogen

1224

Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref # Circumstances

Chemical

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1253	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6-nC10)
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6-nC10)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375		Petroleum Hydrocarbons F1 (nC6-nC10)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1502	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Cyanide (CN-)
1503		Lead or one or more of its compounds containing Lead
1504		Nitrogen
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1523		Copper or one or more of its compounds containing Copper
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1527		Petroleum Hydrocarbons F1 (nC6-nC10)
1531		Sodium
1532		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1539		Mercury or one or more of its compounds containing Mercury
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1676		Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1807	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1813		Cadmium or one or more of its compounds containing Cadmium
1823		Mercury or one or more of its compounds containing Mercury
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1841		Cyanide (CN-)
1844		Hexachlorobenzene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste**

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1924		Arsenic or one or more of its compounds containing Arsenic
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1930		Mercury or one or more of its compounds containing Mercury
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 38 (CIPZWE6.3L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6.3 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
106	1. The below grade handling of a DNAPL in relation to its storage.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel. Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
226	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
233		one or more Polychlorinated Biphenyls (PCBs)
238		BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
300		Chromium VI
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
362		Mercury or one or more of its compounds containing Mercury
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
376		Chromium VI
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
430	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
433		Chromium VI
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
683	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	Cadmium or one or more of its compounds containing Cadmium
688		Mercury or one or more of its compounds containing Mercury

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
733	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
740		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
809		Arsenic or one or more of its compounds containing Arsenic
812		Cadmium or one or more of its compounds containing Cadmium
814		Chromium VI
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1021	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1025		Mercury or one or more of its compounds containing Mercury
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1071		Zinc or one or more of its compounds containing Zinc
1073	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1077		Mercury or one or more of its compounds containing Mercury
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1047	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
1051		Mercury or one or more of its compounds containing Mercury
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1097		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1107	1. The storage of a DNAPL below grade.	
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1151	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1153		Mecoprop
1162	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1164		Mecoprop
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1186		Mecoprop
1187		Metalaxyl
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1252		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1556		Silver or one or more of its compounds containing Silver
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1609		Mercury or one or more of its compounds containing Mercury
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1642		Cadmium or one or more of its compounds containing Cadmium
1645		Mercury or one or more of its compounds containing Mercury
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1678		Cadmium or one or more of its compounds containing Cadmium
1681		Mercury or one or more of its compounds containing Mercury
1685		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1861		Cadmium or one or more of its compounds containing Cadmium
1871		Mercury or one or more of its compounds containing Mercury
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1900		Mercury or one or more of its compounds containing Mercury
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 39 (CIPZWE5.6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
97		Phosphorus (total)
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

Ref #	Circumstances	Chemical
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
230	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
233		one or more Polychlorinated Biphenyls (PCBs)
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
305		Mercury or one or more of its compounds containing Mercury
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
373	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
376		Chromium VI
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
430	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
438		Mercury or one or more of its compounds containing Mercury
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride
558		Styrene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

Ref #	Circumstances	Chemical
737	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
740		one or more Polychlorinated Biphenyls (PCBs)
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
-------	---------------	----------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
844		Dichlorophenol-2,4
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1151	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1162	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1182		Dichloropropene-1,3
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

Ref #	Circumstances	Chemical
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1565		Mercury or one or more of its compounds containing Mercury
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1653		BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1654		Cadmium or one or more of its compounds containing Cadmium
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1692		Lead or one or more of its compounds containing Lead
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 40 (CIPZWE5.4L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5.4 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
60	1.The area of land to which the pesticide is applied is less than 1 hectare.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
69		Dichloropropene-1,3
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

Ref #	Circumstances	Chemical
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
239	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
246		one or more Polychlorinated Biphenyls (PCBs)
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
316	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
319		Chromium VI
322		Lead or one or more of its compounds containing Lead
323		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
324		Mercury or one or more of its compounds containing Mercury
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
395		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
449	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
452		Chromium VI
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
507	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
511		Bromomethane
512		BTEX
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
520		Chromium VI
523		Cyanide (CN-)
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
533		Hydroquinone
535		Lead or one or more of its compounds containing Lead
537		Mercury or one or more of its compounds containing Mercury
541		Molybdenum
543		Nickel or one or more of its compounds containing Nickel
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
555		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
556		Silver or one or more of its compounds containing Silver
560		Tetrachlorobenzene-1,2,4,5
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
746	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
753		one or more Polychlorinated Biphenyls (PCBs)
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
836		Cadmium or one or more of its compounds containing Cadmium
838		Chromium VI
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1173	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1184	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1448	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Lead or one or more of its compounds containing Lead
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1476		Sodium
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1618		Chromium VI
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1661		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1697		Uranium
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 41 (CIPZWE4.9L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.9 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1917		Chromium VI
1934		Arsenic or one or more of its compounds containing Arsenic
1937		Chromium VI

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Application Of Untreated Septage To Land

Ref #	Circumstances	Chemical
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
108	1. The above grade handling of a DNAPL in relation to its storage.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref # Circumstances

Chemical

177 1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.

BTEX

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref # Circumstances

Chemical

198 1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.

Dioxane-1,4

199

Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref # Circumstances

Chemical

202 1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.

Nitrogen

204 1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.

Nitrogen

205

Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref # Circumstances

Chemical

208 1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.

Nitrogen

210 1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.

Nitrogen

211

Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref # Circumstances

Chemical

243 1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.

Mercury or one or more of its compounds containing Mercury

246

one or more Polychlorinated Biphenyls (PCBs)

251 1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.

BTEX

252

Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
316	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
324		Mercury or one or more of its compounds containing Mercury
335	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
338		Chromium VI
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
395		Chromium VI
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
449	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
457		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
468	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
471		Chromium VI
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
507	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
511		Bromomethane
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
520		Chromium VI
529		Hexachlorobenzene
530		Hexachlorobutadiene
533		Hydroquinone
535		Lead or one or more of its compounds containing Lead
537		Mercury or one or more of its compounds containing Mercury
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
750	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
753		one or more Polychlorinated Biphenyls (PCBs)
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
864		Cyanide (CN-)
868		Dichlorophenol-2,4
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
878		Silver or one or more of its compounds containing Silver
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1099	1. The storage of a DNAPL at or above grade.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1109	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1197		Mecoprop

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref #	Circumstances	Chemical
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
<u>The storage of snow.</u>		
Ref #	Circumstances	Chemical
1469	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1582		Silver or one or more of its compounds containing Silver

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 42 (CIPZWE4.8L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.8 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
71	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
73		Mecoprop
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl

The application of road salt.

Ref #	Circumstances	Chemical
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3. **Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

Ref #	Circumstances	Chemical
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)
<u>The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.</u>		Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)
Ref #	Circumstances	Chemical
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)
<u>The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.</u>		Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water
Ref #	Circumstances	Chemical
252	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
259		one or more Polychlorinated Biphenyls (PCBs)
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
335	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
338		Chromium VI
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
411	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
414		Chromium VI
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
468	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
471		Chromium VI
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
569	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
759	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
766		one or more Polychlorinated Biphenyls (PCBs)
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
860		Cadmium or one or more of its compounds containing Cadmium
862		Chromium VI
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1195	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1197		Mecoprop

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref #	Circumstances	Chemical
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1492	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Lead or one or more of its compounds containing Lead
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1630		Chromium VI
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 43 (CIPZWE4.5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.5 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1673		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1709		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1887		Chromium VI
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1907		Chromium VI

PROVINCIAL TABLE 44 (CIPZWE4.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.2 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
82	1.The area of land to which the pesticide is applied is more than 10 hectares.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
84		Mecoprop

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
265	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
272		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
411	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
419		Mercury or one or more of its compounds containing Mercury
487	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
490		Chromium VI
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 44 (CIPZWE4.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
570	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
574		Bromomethane
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
583		Chromium VI
592		Hexachlorobenzene
593		Hexachlorobutadiene
596		Hydroquinone
598		Lead or one or more of its compounds containing Lead
600		Mercury or one or more of its compounds containing Mercury
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
772	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
779		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 44 (CIPZWE4.2L): Chemicals in an IPZ or WHPA E where the vulnerability score is 4.2 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
881		Arsenic or one or more of its compounds containing Arsenic
884		Cadmium or one or more of its compounds containing Cadmium
886		Chromium VI
894		Lead or one or more of its compounds containing Lead
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 45 (PIPZ10S): Pathogens in an IPZ with a vulnerability of 10 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant.2. The discharge may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 45 (PIPZ10S): Pathogens in an IPZ with a vulnerability of 10 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 46 (PIPZWE9S): Pathogens in an IPZ or WHPA E with a vulnerability of 9 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 46 (PIPZWE9S): Pathogens in an IPZ or WHPA E with a vulnerability of 9 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 47 (PIPZWE8.1S): Pathogens in an IPZ or WHPA E with a vulnerability of 8.1 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 48 (PIPZWE88): Pathogens in an IPZ or WHPA E with a vulnerability of 8 where threats are significant

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 49 (PIPZWE10M): Pathogens in an IPZ with a vulnerability of 10 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 50 (PIPZWE9M): Pathogens in an IPZ or WHPA E with a vulnerability of 9 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 50 (PIPZWE9M): Pathogens in an IPZ or WHPA E with a vulnerability of 9 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 51 (PIPZWE8.1M): Pathogens in an IPZ or WHPA E with a vulnerability of 8.1 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 52 (PIPZWE8M): Pathogens in an IPZ or WHPA E with a vulnerability of 8 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 53 (PIPZWE7.2M): Pathogens in an IPZ or WHPA E with a vulnerability of 7.2 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 53 (PIPZWE7.2M): Pathogens in an IPZ or WHPA E with a vulnerability of 7.2 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 54 (PIPZWE7M): Pathogens in an IPZ or WHPA E with a vulnerability of 7 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 54 (PIPZWE7M): Pathogens in an IPZ or WHPA E with a vulnerability of 7 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 55 (PIPZWE6.4M): Pathogens in an IPZ or WHPA E with a vulnerability of 6.4 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant.2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 56 (PIPZWE6.3M): Pathogens in an IPZ or WHPA E with a vulnerability of 6.3 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 57 (PIPZ6M): Pathogens in an IPZ with a vulnerability of 6 where threats are moderate

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant.2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 58 (PIPZ10L): Pathogens in an IPZ with a vulnerability of 10 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1967	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 59 (PIPZWE9L): Pathogens in an IPZ or WHPA E with a vulnerability of 9 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1967	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 60 (PIPZWE8.1L): Pathogens in an IPZ or WHPA E with a vulnerability of 8.1 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1967	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 61 (PIPZWE8L): Pathogens in an IPZ or WHPA E with a vulnerability of 8 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 62 (PIPZWE7.2L): Pathogens in an IPZ or WHPA E with a vulnerability of 7.2 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 62 (PIPZWE7.2L): Pathogens in an IPZ or WHPA E with a vulnerability of 7.2 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 63 (PIPZWE7L): Pathogens in an IPZ or WHPA E with a vulnerability of 7 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 63 (PIPZWE7L): Pathogens in an IPZ or WHPA E with a vulnerability of 7 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 64 (PIPZWE6.4L): Pathogens in an IPZ or WHPA E with a vulnerability of 6.4 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 64 (PIPZWE6.4L): Pathogens in an IPZ or WHPA E with a vulnerability of 6.4 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 65 (PIPZWE6.3L): Pathogens in an IPZ or WHPA E with a vulnerability of 6.3 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 65 (PIPZWE6.3L): Pathogens in an IPZ or WHPA E with a vulnerability of 6.3 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 66 (PIPZ6L): Pathogens in an IPZ with a vulnerability of 6 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1949	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.
1951	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1952	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.
1953	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.
1954	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.
1955	The management of agricultural source material.	Management Of Agricultural Source Material - Aquaculture	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 66 (PIPZ6L): Pathogens in an IPZ with a vulnerability of 6 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1965	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1970	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 67 (PIPZWE5.6L): Pathogens in an IPZ or WHPA E with a vulnerability of 5.6 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 67 (PIPZWE5.6L): Pathogens in an IPZ or WHPA E with a vulnerability of 5.6 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 68 (PIPZWE5.4L): Pathogens in an IPZ or WHPA E with a vulnerability of 5.4 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant.2. The discharge may result in the presence of one or more pathogens in surface water.
1956	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the Building Code Act, 1992 or a sewage works as defined in section 1 of the Ontario Water Resources Act. 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1957	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Septic System Holding Tank	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1958	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sanitary Sewers and related pipes	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 68 (PIPZWE5.4L): Pathogens in an IPZ or WHPA E with a vulnerability of 5.4 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1961	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1963	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1968	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 69 (PIPZ5L): Pathogens in an IPZ with a vulnerability of 5 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 69 (PIPZ5L): Pathogens in an IPZ with a vulnerability of 5 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 70 (PIPZWE4.9L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.9 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 70 (PIPZWE4.9L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.9 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 71 (PIPZWE4.8L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.8 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 71 (PIPZWE4.8L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.8 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 72 (PIPZWE4.5L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.5 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant.2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1960	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 72 (PIPZWE4.5L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.5 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 73 (PIPZWE4.2L): Pathogens in an IPZ or WHPA E with a vulnerability of 4.2 where threats are low

Ref #	Prescribed Threat	ThreatSubcategory	Circumstances
1944	The application of agricultural source material to land.	Application Of Agricultural Source Material (ASM) To Land	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1945	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1946	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.
1947	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.
1948	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.
1950	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Industrial Effluent Discharges	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant.2. The discharge may result in the presence of one or more pathogens in surface water.
1959	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.
1962	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1964	The storage of agricultural source material.	Storage Of Agricultural Source Material (ASM)	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1966	The handling and storage of non-agricultural source material.	Storage of Non-Agricultural Source Material (NASM)	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.
1969	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	Application Of Untreated Septage To Land	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.
1971	The application of non-agricultural source material to land.	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
60	1.The area of land to which the pesticide is applied is less than 1 hectare.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
62		Mecoprop
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride
95		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen
99		Phosphorus (total)
100	1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.	Nitrogen
101		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
107	1. The above grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
108		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
109		Tetrachloroethylene (PCE)
110		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
111		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

Ref #	Circumstances	Chemical
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
239	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury
246		one or more Polychlorinated Biphenyls (PCBs)
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
269		Mercury or one or more of its compounds containing Mercury
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
272		one or more Polychlorinated Biphenyls (PCBs)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
316	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
319		Chromium VI
322		Lead or one or more of its compounds containing Lead
323		Mecoprop

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
324		Mercury or one or more of its compounds containing Mercury
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc
392	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
395		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
449	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
452		Chromium VI
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
481		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
487		Arsenic or one or more of its compounds containing Arsenic
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
495		Mercury or one or more of its compounds containing Mercury
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
<u>The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.</u>		
Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges		
Ref #	Circumstances	Chemical
507	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
511		Bromomethane
512		BTEX
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
520		Chromium VI
523		Cyanide (CN-)
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
533		Hydroquinone
535		Lead or one or more of its compounds containing Lead
537		Mercury or one or more of its compounds containing Mercury
541		Molybdenum
543		Nickel or one or more of its compounds containing Nickel
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
560		Tetrachlorobenzene-1,2,4,5

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
570		Arsenic or one or more of its compounds containing Arsenic
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
600		Mercury or one or more of its compounds containing Mercury
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
609		one or more Adsorbable Organic Halides (AOXs)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
746	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Cadmium or one or more of its compounds containing Cadmium
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
753		one or more Polychlorinated Biphenyls (PCBs)
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead
776		Mercury or one or more of its compounds containing Mercury
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
779		one or more Polychlorinated Biphenyls (PCBs)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
836		Cadmium or one or more of its compounds containing Cadmium
838		Chromium VI
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic
882		Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1173	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1175		Mecoprop
1184	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1186		Mecoprop
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The storage of agricultural source material.

Ref # Circumstances

1224

Chemical

Phosphorus (total)

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref # Circumstances

1261 1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.

Chemical

Carbon Tetrachloride

1262

Chloroform

1263

Methylene Chloride
(Dichloromethane)

1269 1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.

Carbon Tetrachloride

1270

Chloroform

1271

Methylene Chloride
(Dichloromethane)

The handling and storage of commercial fertilizer.

Threat Subcategory: Storage Of Commercial Fertilizer

Ref # Circumstances

1287 1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.

Chemical

Nitrogen

1288

Phosphorus (total)

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref # Circumstances

1384 1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.

Chemical

BTEX

1399 1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.

BTEX

The handling and storage of non-agricultural source material.

Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Ref # Circumstances

1417 1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.

Chemical

Nitrogen

1418

Phosphorus (total)

1419 1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.

Nitrogen

1420

Phosphorus (total)

1423 1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.

Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low**The handling and storage of non-agricultural source material.****Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1448	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Lead or one or more of its compounds containing Lead
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low**The storage of snow.**

Ref #	Circumstances	Chemical
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1618		Chromium VI
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1661		Uranium
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1697		Uranium
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 74 (CIPZWE5L): Chemicals in an IPZ or WHPA E where the vulnerability score is 5 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites**

Ref #	Circumstances	Chemical
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste**

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1917		Chromium VI
1934		Arsenic or one or more of its compounds containing Arsenic
1937		Chromium VI

PROVINCIAL TABLE 75 (CIPZWE6M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
269	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
272		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
487	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
495		Mercury or one or more of its compounds containing Mercury

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
570	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
600		Mercury or one or more of its compounds containing Mercury
609		one or more Adsorbable Organic Halides (AOXs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
776	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
779		one or more Polychlorinated Biphenyls (PCBs)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
880	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
881		Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 75 (CIPZWE6M): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

**Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges
(Includes Lagoons)**

Ref #	Circumstances	Chemical
895		MCPA (2-methyl-4-chlorophenoxyacetic acid)
896		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of road salt.

Ref # Circumstances

95

Chemical

Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref # Circumstances

96 1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.

Chemical

Nitrogen

97

Phosphorus (total)

98 1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.

Nitrogen

99

Phosphorus (total)

100 1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.

Nitrogen

101

Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref # Circumstances

102 1. The below grade handling of a DNAPL in relation to its storage.

Chemical

Dioxane-1,4

103

one or more Polycyclic Aromatic Hydrocarbons (PAHs)

104

Tetrachloroethylene (PCE)

105

Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

106

Vinyl chloride or another DNAPL that could degrade to vinyl chloride

107 1. The above grade handling of a DNAPL in relation to its storage.

Dioxane-1,4

108

one or more Polycyclic Aromatic Hydrocarbons (PAHs)

109

Tetrachloroethylene (PCE)

110

Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

111

Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref # Circumstances

Chemical

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
217	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
220		one or more Polychlorinated Biphenyls (PCBs)
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
278	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
286		Mercury or one or more of its compounds containing Mercury
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
303		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
357		Chromium VI
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
434		Copper or one or more of its compounds containing Copper
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
693		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
702	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Chloride
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
714	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Chloride
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
724	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
727		one or more Polychlorinated Biphenyls (PCBs)
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
820		Dichlorophenol-2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
882	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1049		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1129	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1140	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1153		Mecoprop
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1164		Mecoprop
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The storage of agricultural source material.**

Ref #	Circumstances	Chemical
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.**Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

Ref #	Circumstances	Chemical
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of non-agricultural source material.****Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The handling and storage of road salt.

Ref # Circumstances

1444

Chemical

Sodium

The storage of snow.

Ref # Circumstances

1445 1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

Chloride

1446

Copper or one or more of its compounds containing Copper

1447

Cyanide (CN-)

1448

Lead or one or more of its compounds containing Lead

1449

Nitrogen

1450

Petroleum Hydrocarbons F1 (nC6-nC10)

1451

Petroleum Hydrocarbons F4 (>nC34)

1452

Petroleum Hydrocarbons F2 (>nC10-nC16)

1453

Petroleum Hydrocarbons F3 (>nC16-nC34)

1454

Sodium

1455

Zinc or one or more of its compounds containing Zinc

1467 1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.

Chloride

1468

Copper or one or more of its compounds containing Copper

1469

Cyanide (CN-)

1470

Lead or one or more of its compounds containing Lead

1471

Nitrogen

1472

Petroleum Hydrocarbons F1 (nC6-nC10)

1473

Petroleum Hydrocarbons F4 (>nC34)

1474

Petroleum Hydrocarbons F2 (>nC10-nC16)

1475

Petroleum Hydrocarbons F3 (>nC16-nC34)

1476

Sodium

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The storage of snow.**

Ref #	Circumstances	Chemical
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1531		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines**

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1837		Cadmium or one or more of its compounds containing Cadmium
1847		Mercury or one or more of its compounds containing Mercury
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1865		Cyanide (CN-)
1868		Hexachlorobenzene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - PCB Waste Storage**

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
2		Phosphorus (total)
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
4		Phosphorus (total)
5	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
6		Phosphorus (total)
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
8		Phosphorus (total)
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
10		Phosphorus (total)
11	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
12		Phosphorus (total)
13	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
14		Phosphorus (total)
15	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
16		Phosphorus (total)
17	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
18		Phosphorus (total)

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
22		Phosphorus (total)
23	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
24		Phosphorus (total)
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
26		Phosphorus (total)
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
28		Phosphorus (total)
29	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
30		Phosphorus (total)
31	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
32		Phosphorus (total)
33	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
34		Phosphorus (total)
35	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
36		Phosphorus (total)

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
40		Phosphorus (total)
41	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
42		Phosphorus (total)
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
44		Phosphorus (total)
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
46		Phosphorus (total)
47	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
48		Phosphorus (total)
49	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
50		Phosphorus (total)
51	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
52		Phosphorus (total)
53	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre.	Nitrogen
54		Phosphorus (total)

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
59		Glyphosate
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of pesticide to land.

Ref #	Circumstances	Chemical
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
71		MCPA (2-methyl-4-chlorophenoxyacetic acid)
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
73		Mecoprop
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
77	1.The area of land to which the pesticide is applied is more than 10 hectares.	Atrazine
78		Dicamba
79		Dichlorophenoxy Acetic Acid (D-2,4)
80		Dichloropropene-1,3
81		Glyphosate
82		MCPA (2-methyl-4-chlorophenoxyacetic acid)
83		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
84		Mecoprop
85		Metalaxyl
86		Metolachlor or s-Metolachlor
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
88	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
89		Sodium
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium
94	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The application of road salt.

Ref # Circumstances

95

Chemical

Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref # Circumstances

96 1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.

Chemical

Nitrogen

97

Phosphorus (total)

98 1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.

Nitrogen

99

Phosphorus (total)

100 1.The application of hauled sewage to land. 2.The application area is more than 10 hectares.

Nitrogen

101

Phosphorus (total)

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref # Circumstances

102 1. The below grade handling of a DNAPL in relation to its storage.

Chemical

Dioxane-1,4

103

one or more Polycyclic Aromatic Hydrocarbons (PAHs)

104

Tetrachloroethylene (PCE)

105

Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

106

Vinyl chloride or another DNAPL that could degrade to vinyl chloride

107 1. The above grade handling of a DNAPL in relation to its storage.

Dioxane-1,4

108

one or more Polycyclic Aromatic Hydrocarbons (PAHs)

109

Tetrachloroethylene (PCE)

110

Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

111

Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref # Circumstances

Chemical

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

Ref #	Circumstances	Chemical
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
177	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
178		Petroleum Hydrocarbons F1 (nC6-nC10)
179		Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
182	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
187	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
194	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol
198	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a national airport.	Dioxane-1,4
199		Ethylene Glycol

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
201		Phosphorus (total)
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen
203		Phosphorus (total)
204	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre.	Nitrogen
205		Phosphorus (total)

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
207		Phosphorus (total)
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen
209		Phosphorus (total)
210	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually.	Nitrogen
211		Phosphorus (total)

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
217	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
220		one or more Polychlorinated Biphenyls (PCBs)
225	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229		Lead or one or more of its compounds containing Lead
230		Mercury or one or more of its compounds containing Mercury
231		Nitrogen
232		Nitrosodimethylamine-N (NDMA)
233		one or more Polychlorinated Biphenyls (PCBs)
234		Pentachlorophenol
235		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
236		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
237		Zinc or one or more of its compounds containing Zinc
238	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
239		Cadmium or one or more of its compounds containing Cadmium
240		Copper or one or more of its compounds containing Copper
241		Hexachlorobenzene
242		Lead or one or more of its compounds containing Lead
243		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
244		Nitrogen
245		Nitrosodimethylamine-N (NDMA)
246		one or more Polychlorinated Biphenyls (PCBs)
247		Pentachlorophenol
248		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
249		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
250		Zinc or one or more of its compounds containing Zinc
251	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
252		Cadmium or one or more of its compounds containing Cadmium
253		Copper or one or more of its compounds containing Copper
254		Hexachlorobenzene
255		Lead or one or more of its compounds containing Lead
256		Mercury or one or more of its compounds containing Mercury
257		Nitrogen
258		Nitrosodimethylamine-N (NDMA)
259		one or more Polychlorinated Biphenyls (PCBs)
260		Pentachlorophenol
261		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
262		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
263		Zinc or one or more of its compounds containing Zinc
264	1.The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2.The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

Ref #	Circumstances	Chemical
265		Cadmium or one or more of its compounds containing Cadmium
266		Copper or one or more of its compounds containing Copper
267		Hexachlorobenzene
268		Lead or one or more of its compounds containing Lead
270		Nitrogen
271		Nitrosodimethylamine-N (NDMA)
273		Pentachlorophenol
274		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
275		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
276		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
278	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
286		Mercury or one or more of its compounds containing Mercury
296	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
297		Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
303		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
312		Petroleum Hydrocarbons F3 (>nC16-nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper
321		Glyphosate
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
332		Phosphorus (total)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
335		Arsenic or one or more of its compounds containing Arsenic
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
338		Chromium VI
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
342		Mecoprop
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
351		Phosphorus (total)
352		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
357		Chromium VI
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
377		Copper or one or more of its compounds containing Copper
378		Glyphosate
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
388		Petroleum Hydrocarbons F3 (>nC16-nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
408		Phosphorus (total)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
411		Arsenic or one or more of its compounds containing Arsenic
412		Cadmium or one or more of its compounds containing Cadmium
413		Chloride
414		Chromium VI
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
417		Lead or one or more of its compounds containing Lead
418		Mecoprop
419		Mercury or one or more of its compounds containing Mercury
420		Nickel or one or more of its compounds containing Nickel
421		Nitrogen
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
427		Phosphorus (total)
428		Zinc or one or more of its compounds containing Zinc
429	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
430		Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
434		Copper or one or more of its compounds containing Copper
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
445		Petroleum Hydrocarbons F3 (>nC16-nC34)
446		Phosphorus (total)
447		Zinc or one or more of its compounds containing Zinc
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
454		Glyphosate
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
465		Phosphorus (total)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
468		Arsenic or one or more of its compounds containing Arsenic
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
471		Chromium VI
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
475		Mecoprop
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
484		Phosphorus (total)
485		Zinc or one or more of its compounds containing Zinc
486	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
488		Cadmium or one or more of its compounds containing Cadmium
489		Chloride
490		Chromium VI
491		Copper or one or more of its compounds containing Copper
492		Glyphosate
493		Lead or one or more of its compounds containing Lead
494		Mecoprop
496		Nickel or one or more of its compounds containing Nickel
497		Nitrogen
498		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
499		Petroleum Hydrocarbons F1 (nC6-nC10)
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
503		Phosphorus (total)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
505	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is not part of a facility for which the NPRI Notice requires a person to report.	Acrylonitrile

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
506		Aluminum or one or more of its compounds containing Aluminum
507		Arsenic or one or more of its compounds containing Arsenic
508		Biphenyl-1,1'
509		Bis(2-ethylhexyl) phthalate
510		Boron
511		Bromomethane
512		BTEX
513		Butoxyethanol-2
514		Butyl-n alcohol
515		Butyl-tert alcohol
516		Cadmium or one or more of its compounds containing Cadmium
517		Carbon Tetrachloride
518		Chloride
519		Chloroform
520		Chromium VI
521		Cobalt or one or more of its compounds containing Cobalt
522		Copper or one or more of its compounds containing Copper
523		Cyanide (CN-)
524		Dichlorobenzene-1,2 (ortho)
525		Dichlorobenzene-1,4 (para)
526		Dichloroethane-1,2
527		Ethylene Glycol
528		Formaldehyde
529		Hexachlorobenzene
530		Hexachlorobutadiene
531		Hexachloroethane
532		Hydrazine or its salts
533		Hydroquinone

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
534		Iron
535		Lead or one or more of its compounds containing Lead
536		Manganese or one or more of its compounds containing Manganese
537		Mercury or one or more of its compounds containing Mercury
538		Methanol
539		Methyl ethyl ketone
540		Methylene chloride (Dichloromethane)
541		Molybdenum
542		Naphthalene
543		Nickel or one or more of its compounds containing Nickel
544		Nitrogen
545		Nitrosodimethylamine-N (NDMA)
546		one or more Adsorbable Organic Halides (AOXs)
547		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
548		Pentachlorobenzene
549		Petroleum Hydrocarbons F1 (nC6-nC10)
550		Petroleum Hydrocarbons F4 (>nC34)
551		Petroleum Hydrocarbons F2 (>nC10-nC16)
552		Petroleum Hydrocarbons F3 (>nC16-nC34)
553		Phenol (or its salts)
554		Phosphorus (total)
555		Selenium or one or more of its compounds containing Selenium
556		Silver or one or more of its compounds containing Silver
557		Sodium fluoride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
558		Styrene
559		Sulphide (Hydrogen)
560		Tetrachlorobenzene-1,2,4,5
561		Tetrachloroethylene (PCE)
562		Trichlorobenzene-1,2,4
563		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
564		Tritium
565		Vanadium
566		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
567		Zinc or one or more of its compounds containing Zinc
568	1.The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2.The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Acrylonitrile
569		Aluminum or one or more of its compounds containing Aluminum
571		Biphenyl-1,1'
572		Bis(2-ethylhexyl) phthalate
573		Boron
574		Bromomethane
575		BTEX
576		Butoxyethanol-2
577		Butyl-n alcohol
578		Butyl-tert alcohol
579		Cadmium or one or more of its compounds containing Cadmium
580		Carbon Tetrachloride
581		Chloride
582		Chloroform
583		Chromium VI
584		Cobalt or one or more of its compounds containing Cobalt

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
585		Copper or one or more of its compounds containing Copper
586		Cyanide (CN-)
587		Dichlorobenzene-1,2 (ortho)
588		Dichlorobenzene-1,4 (para)
589		Dichloroethane-1,2
590		Ethylene Glycol
591		Formaldehyde
592		Hexachlorobenzene
593		Hexachlorobutadiene
594		Hexachloroethane
595		Hydrazine or its salts
596		Hydroquinone
597		Iron
598		Lead or one or more of its compounds containing Lead
599		Manganese or one or more of its compounds containing Manganese
601		Methanol
602		Methyl ethyl ketone
603		Methylene chloride (Dichloromethane)
604		Molybdenum
605		Naphthalene
606		Nickel or one or more of its compounds containing Nickel
607		Nitrogen
608		Nitrosodimethylamine-N (NDMA)
610		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
611		Pentachlorobenzene
612		Petroleum Hydrocarbons F1 (nC6-nC10)
613		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent Discharges

Ref #	Circumstances	Chemical
614		Petroleum Hydrocarbons F2 (>nC10-nC16)
615		Petroleum Hydrocarbons F3 (>nC16-nC34)
616		Phenol (or its salts)
617		Phosphorus (total)
618		Selenium or one or more of its compounds containing Selenium
619		Silver or one or more of its compounds containing Silver
620		Sodium fluoride
621		Styrene
622		Sulphide (Hydrogen)
623		Tetrachlorobenzene-1,2,4,5
624		Tetrachloroethylene (PCE)
625		Trichlorobenzene-1,2,4
626		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
627		Tritium
628		Vanadium
629		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
630		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
682	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
686		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)
691		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
693		Phosphorus (total)

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
702	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Chloride
704		Nitrogen
705		Phosphorus (total)
706		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank

Ref #	Circumstances	Chemical
714	1.The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2.The system is a sewage works within the meaning of the Ontario Water Resources Act.	Chloride
716		Nitrogen
717		Phosphorus (total)
718		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
724	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	Mercury or one or more of its compounds containing Mercury
727		one or more Polychlorinated Biphenyls (PCBs)
732	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
737		Mercury or one or more of its compounds containing Mercury
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
740		one or more Polychlorinated Biphenyls (PCBs)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc
745	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
746		Cadmium or one or more of its compounds containing Cadmium
747		Copper or one or more of its compounds containing Copper
748		Hexachlorobenzene
749		Lead or one or more of its compounds containing Lead
750		Mercury or one or more of its compounds containing Mercury
751		Nitrogen
752		Nitrosodimethylamine-N (NDMA)
753		one or more Polychlorinated Biphenyls (PCBs)
754		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
755		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
756		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
757		Zinc or one or more of its compounds containing Zinc
758	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
759		Cadmium or one or more of its compounds containing Cadmium
760		Copper or one or more of its compounds containing Copper
761		Hexachlorobenzene
762		Lead or one or more of its compounds containing Lead
763		Mercury or one or more of its compounds containing Mercury
764		Nitrogen
765		Nitrosodimethylamine-N (NDMA)
766		one or more Polychlorinated Biphenyls (PCBs)
767		Pentachlorophenol
768		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
769		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
770		Zinc or one or more of its compounds containing Zinc
771	1.The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2.The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
772		Cadmium or one or more of its compounds containing Cadmium
773		Copper or one or more of its compounds containing Copper
774		Hexachlorobenzene
775		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
777		Nitrogen
778		Nitrosodimethylamine-N (NDMA)
780		Pentachlorophenol
781		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
782		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
783		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
799		MCPA (2-methyl-4-chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
810		Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
820		Dichlorophenol-2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
825		Nickel or one or more of its compounds containing Nickel
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
829		Phosphorus (total)
830		Silver or one or more of its compounds containing Silver
831		Zinc or one or more of its compounds containing Zinc
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
853		Phosphorus (total)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
856	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
857		Arsenic or one or more of its compounds containing Arsenic
858		Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
862		Chromium VI
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol
870		Lead or one or more of its compounds containing Lead
871		MCPA (2-methyl-4-chlorophenoxyacetic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
877		Phosphorus (total)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
882	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Barium
883		BTEX
884		Cadmium or one or more of its compounds containing Cadmium
885		Chlorophenol-2
886		Chromium VI
887		Copper or one or more of its compounds containing Copper
888		Cyanide (CN-)
889		Dibutyl phthalate
890		Dichlorobenzene-1,2 (ortho)
891		Dichlorobenzene-1,4 (para)
892		Dichlorophenol-2,4
893		Ethylene Glycol
894		Lead or one or more of its compounds containing Lead
897		Nickel or one or more of its compounds containing Nickel
898		Nitrogen
899		Nitrosodimethylamine-N (NDMA)
900		Phenol (or its salts)
901		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
902		Silver or one or more of its compounds containing Silver
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1070		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1071		Zinc or one or more of its compounds containing Zinc
1072	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1075		Hexachlorobenzene
1076		Lead or one or more of its compounds containing Lead
1077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
1079		Nitrosodimethylamine-N (NDMA)
1080		one or more Polychlorinated Biphenyls (PCBs)
1082		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1046	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1049		Hexachlorobenzene

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1050		Lead or one or more of its compounds containing Lead
1051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1085	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1086		Cadmium or one or more of its compounds containing Cadmium
1087		Copper or one or more of its compounds containing Copper
1088		Hexachlorobenzene
1089		Lead or one or more of its compounds containing Lead
1090		Mercury or one or more of its compounds containing Mercury
1091		Nitrogen
1092		Nitrosodimethylamine-N (NDMA)
1093		one or more Polychlorinated Biphenyls (PCBs)
1094		Pentachlorophenol
1095		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1096		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1097		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The handling and storage of a dense non-aqueous phase liquid.

Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)

Ref #	Circumstances	Chemical
1098	1. The storage of a DNAPL at or above grade.	Dioxane-1,4
1099		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1100		Tetrachloroethylene (PCE)
1101		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1102		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1105		Tetrachloroethylene (PCE)
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade.	Dioxane-1,4
1109		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1110		Tetrachloroethylene (PCE)
1111		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1112		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1129	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1140	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	MCPA (2-methyl-4-chlorophenoxyacetic acid)
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1153		Mecoprop
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1164		Mecoprop
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1173		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1175		Mecoprop
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1184		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of pesticide.****Threat Subcategory: Storage Of A Pesticide**

Ref #	Circumstances	Chemical
1186		Mecoprop
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1190	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1191		Dicamba
1192		Dichlorophenoxy Acetic Acid (D-2,4)
1193		Dichloropropene-1,3
1194		Glyphosate
1195		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1196		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1197		Mecoprop
1198		Metalaxyl
1199		Metolachlor or s-Metolachlor
1200		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1202		Phosphorus (total)
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1204		Phosphorus (total)
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1208		Phosphorus (total)
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1210		Phosphorus (total)
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The storage of agricultural source material.**

Ref #	Circumstances	Chemical
1212		Phosphorus (total)
1215	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1216		Phosphorus (total)
1217	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1218		Phosphorus (total)
1219	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1220		Phosphorus (total)
1221	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)
1223	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1224		Phosphorus (total)

The handling and storage of an organic solvent.**Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1245	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)
1249	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1250		Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1257	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1258		Chloroform
1259		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1260		Pentachlorophenol
1261	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1262		Chloroform
1263		Methylene Chloride (Dichloromethane)
1264		Pentachlorophenol
1265	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1269	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1270		Chloroform
1271		Methylene Chloride (Dichloromethane)
1272		Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1284		Phosphorus (total)
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1286		Phosphorus (total)
1287	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen
1288		Phosphorus (total)

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

Ref #	Circumstances	Chemical
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1384	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1385		Petroleum Hydrocarbons F1 (nC6-nC10)
1386		Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)
1389	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1394	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1369	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1370		Petroleum Hydrocarbons F1 (nC6-nC10)
1371		Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)
1374	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1399	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1400		Petroleum Hydrocarbons F1 (nC6-nC10)
1401		Petroleum Hydrocarbons F4 (>nC34)
1402		Petroleum Hydrocarbons F2 (>nC10-nC16)
1403		Petroleum Hydrocarbons F3 (>nC16-nC34)
1404	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1405		Petroleum Hydrocarbons F1 (nC6-nC10)
1406		Petroleum Hydrocarbons F4 (>nC34)
1407		Petroleum Hydrocarbons F2 (>nC10-nC16)
1408		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1410		Phosphorus (total)
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1412		Phosphorus (total)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The handling and storage of non-agricultural source material.****Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1416		Phosphorus (total)
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1418		Phosphorus (total)
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1420		Phosphorus (total)
1423	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1424		Phosphorus (total)
1425	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1426		Phosphorus (total)
1427	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1428		Phosphorus (total)
1429	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1430		Phosphorus (total)
1431	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
1432		Phosphorus (total)

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1441	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1442		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The handling and storage of road salt.

Ref # Circumstances

1444

Chemical

Sodium

The storage of snow.

Ref # Circumstances

1445 1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.

Chloride

1446

Copper or one or more of its compounds containing Copper

1447

Cyanide (CN-)

1448

Lead or one or more of its compounds containing Lead

1449

Nitrogen

1450

Petroleum Hydrocarbons F1 (nC6-nC10)

1451

Petroleum Hydrocarbons F4 (>nC34)

1452

Petroleum Hydrocarbons F2 (>nC10-nC16)

1453

Petroleum Hydrocarbons F3 (>nC16-nC34)

1454

Sodium

1455

Zinc or one or more of its compounds containing Zinc

1467 1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.

Chloride

1468

Copper or one or more of its compounds containing Copper

1469

Cyanide (CN-)

1470

Lead or one or more of its compounds containing Lead

1471

Nitrogen

1472

Petroleum Hydrocarbons F1 (nC6-nC10)

1473

Petroleum Hydrocarbons F4 (>nC34)

1474

Petroleum Hydrocarbons F2 (>nC10-nC16)

1475

Petroleum Hydrocarbons F3 (>nC16-nC34)

1476

Sodium

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low**The storage of snow.**

Ref #	Circumstances	Chemical
1477		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1492		Lead or one or more of its compounds containing Lead
1493		Nitrogen
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1511	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride
1512		Copper or one or more of its compounds containing Copper
1513		Cyanide (CN-)
1514		Lead or one or more of its compounds containing Lead
1515		Nitrogen
1516		Petroleum Hydrocarbons F1 (nC6-nC10)
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1520		Sodium
1521		Zinc or one or more of its compounds containing Zinc
1522	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares.	Chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The storage of snow.

Ref #	Circumstances	Chemical
1524		Cyanide (CN-)
1525		Lead or one or more of its compounds containing Lead
1526		Nitrogen
1531		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines**

Ref #	Circumstances	Chemical
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1549		Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1559	1.Tailings from mining operations are stored in a pit. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1560		Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1564		Lead or one or more of its compounds containing Lead
1565		Mercury or one or more of its compounds containing Mercury
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
1568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc
1572	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Arsenic or one or more of its compounds containing Arsenic
1573		Cadmium or one or more of its compounds containing Cadmium
1574		Chromium VI
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1581		Phosphorus (total)
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1597	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	BTEX
1598		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1599		Petroleum Hydrocarbons F1 (nC6-nC10)
1600		Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1615	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1616		Barium
1617		Cadmium or one or more of its compounds containing Cadmium
1618		Chromium VI
1619		Dichlorophenoxy Acetic Acid (D-2,4)
1620		Lead or one or more of its compounds containing Lead
1621		Mercury or one or more of its compounds containing Mercury
1622		one or more Polychlorinated Biphenyls (PCBs)
1623		Selenium or one or more of its compounds containing Selenium
1624		Silver or one or more of its compounds containing Silver
1625		Trichlorophenoxyacetic acid-2,4,5
1626		Uranium
1627	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1628		Barium
1629		Cadmium or one or more of its compounds containing Cadmium
1630		Chromium VI
1631		Dichlorophenoxy Acetic Acid (D-2,4)
1632		Lead or one or more of its compounds containing Lead
1633		Mercury or one or more of its compounds containing Mercury
1634		one or more Polychlorinated Biphenyls (PCBs)
1635		Selenium or one or more of its compounds containing Selenium
1636		Silver or one or more of its compounds containing Silver
1637		Trichlorophenoxyacetic acid-2,4,5
1638		Uranium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1651	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1652		Barium
1653		BTEX
1654		Cadmium or one or more of its compounds containing Cadmium
1655		Dichlorobenzene-1,4 (para)
1656		Lead or one or more of its compounds containing Lead
1657		Mercury or one or more of its compounds containing Mercury
1658		Nitrogen
1659		Selenium or one or more of its compounds containing Selenium
1660		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1661		Uranium
1662		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1663	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1664		Barium
1665		BTEX
1666		Cadmium or one or more of its compounds containing Cadmium
1667		Dichlorobenzene-1,4 (para)
1668		Lead or one or more of its compounds containing Lead
1669		Mercury or one or more of its compounds containing Mercury
1670		Nitrogen
1671		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1672		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1673		Uranium
1674		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1675	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1687	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is at least 1 but not more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1688		Barium
1689		BTEX
1690		Cadmium or one or more of its compounds containing Cadmium
1691		Dichlorobenzene-1,4 (para)
1692		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1693		Mercury or one or more of its compounds containing Mercury
1694		Nitrogen
1695		Selenium or one or more of its compounds containing Selenium
1696		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1697		Uranium
1698		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1699	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is more than 10 hectares.	Arsenic or one or more of its compounds containing Arsenic
1700		Barium
1701		BTEX
1702		Cadmium or one or more of its compounds containing Cadmium
1703		Dichlorobenzene-1,4 (para)
1704		Lead or one or more of its compounds containing Lead
1705		Mercury or one or more of its compounds containing Mercury
1706		Nitrogen
1707		Selenium or one or more of its compounds containing Selenium
1708		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1709		Uranium
1710		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1831	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1837		Cadmium or one or more of its compounds containing Cadmium
1847		Mercury or one or more of its compounds containing Mercury
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1855	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1865		Cyanide (CN-)
1868		Hexachlorobenzene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1875		Trichloroethane-1,1,1
1876		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1882	1.PCB waste stored a storage tank that is installed partially below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	
1883	1.PCB waste is stored in an outdoor area and not in a container. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1884	1. Hazardous waste or liquid industrial waste is stored at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1885		Barium
1886		Cadmium or one or more of its compounds containing Cadmium
1887		Chromium VI
1888		Dichlorophenoxy Acetic Acid (D-2,4)
1889		Lead or one or more of its compounds containing Lead
1890		Mercury or one or more of its compounds containing Mercury
1891		Selenium or one or more of its compounds containing Selenium
1892		Silver or one or more of its compounds containing Silver
1893		Trichlorophenoxyacetic acid-2,4,5
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5
1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1905		Barium
1906		Cadmium or one or more of its compounds containing Cadmium
1907		Chromium VI
1908		Dichlorophenoxy Acetic Acid (D-2,4)
1909		Lead or one or more of its compounds containing Lead
1910		Mercury or one or more of its compounds containing Mercury
1911		Selenium or one or more of its compounds containing Selenium
1912		Silver or one or more of its compounds containing Silver
1913		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Arsenic or one or more of its compounds containing Arsenic
1915		Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1917		Chromium VI
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 76 (CIPZWE6L): Chemicals in an IPZ or WHPA E where the vulnerability score is 6 where threats are low

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5
1934		Arsenic or one or more of its compounds containing Arsenic
1935		Barium
1936		Cadmium or one or more of its compounds containing Cadmium
1937		Chromium VI
1938		Dichlorophenoxy Acetic Acid (D-2,4)
1939		Lead or one or more of its compounds containing Lead
1940		Mercury or one or more of its compounds containing Mercury
1941		Selenium or one or more of its compounds containing Selenium
1942		Silver or one or more of its compounds containing Silver
1943		Trichlorophenoxyacetic acid-2,4,5

Tables of Drinking Water Threats

Clean Water Act, 2006

November 20, 2008

Amended on:

December 12, 2008 (administrative amendments)

November 16, 2009 (EBR Posting Number EBRO10-7573)

Amendments to Tables of Drinking Water Threats

Reference Numbers	Amendment Date
1-54; 335-346; 1321-1344	November 16, 2009

Tables of Drinking Water Threats
Clean Water Act, 2006

Table of Contents

GLOSSARY.....G-1

PAGE REFERENCES FOR TABLE OF THREATS.....G-5

TABLE 1 – DRINKING WATER THREATS - CHEMICALS..... 1

TABLE 2 – DRINKING WATER THREATS - PATHOGENS 434

Glossary

1. Where this document uses a word or expression that is defined in the *Clean Water Act, 2006*, a regulation made under that act, or the Technical Rules it has the same meaning as in the Act, regulation or the Rules.
2. In this document, the following words and expressions have the same meaning as in Regulation 347 (General – Waste Management), R.R.O. 1990, made under the *Environmental Protection Act*:
 - a. “hailed sewage”, where the phrase is used in relation to the application of hauled sewage to land;
 - b. “hazardous waste”;
 - c. “liquid industrial waste”;
 - d. “municipal waste”; and
 - e. “petroleum refining waste”.
3. In this document, the following words and expressions have the same meaning as in section 1 of O. Reg. 525/98 (Approval Exemptions) made under the *Ontario Water Resources Act*:
 - a. “combined sewer”;
 - b. “sanitary sewer”; and
 - c. “storm water management facility”.
4. In this document, the following words and expressions have the same meaning as in section 1 of O. Reg. 129/04 (Licensing of Sewage Works Operators) made under the *Ontario Water Resources Act*:
 - a. “wastewater collection facility”; and
 - b. “wastewater treatment facility”.
5. In this document, the following words and expressions have the same meaning as in O. Reg. 350/06 (Building Code) made under the *Building Code Act, 1992*:
 - a. “earth pit privy”;
 - b. “greywater”;

- c. “hauling sewage”, where the phrase is used in relation to a system requiring or using a holding tank;
 - d. “hauling sewage system”;
 - e. “holding tank”;
 - f. “leaching bed”;
 - g. “privy vault”; and
 - h. “treatment unit”.
6. In this document, the following words and expressions have the same meaning as in section 2 of the *Nutrient Management Act, 2002*:
- a. “agricultural operation”;
 - b. “farm animal”;
7. In this document, the following words and expressions have the same meaning as in section 1 of O. Reg. 267/03 (General) made under the *Nutrient Management Act, 2002*:
- a. “permanent nutrient storage facility”;
 - b. “runoff”, where used in relation to agricultural source material, fertilizer or non-agricultural source material; and
 - c. “temporary field nutrient storage site”.
8. The following words and expressions are defined as follows for the purpose of this document:
- a. “aquaculture facility” means a facility that primarily engages in farm-raising cultured fish;
 - b. “BTEX” means benzene, toluene, ethylbenzene and xylene;
 - c. “DNAPL” means a dense non-aqueous phase liquid;
 - d. “discharge”, when used as a verb, includes add, deposit, leak or emit and, when used as a noun, includes addition, deposit, emission or leak;

- e. “grade” means the average level of the soil surface in the area surrounding the facility or structure;
- f. “livestock density map” means a map contained in the most recent assessment report for the applicable source protection area and prepared in accordance with sub-rule 16 (10) ;
- g. “managed land map” means a map contained in the most recent assessment report for the applicable source protection area and prepared in accordance with sub-rule 16 (9) of the Technical Rules;
- h. “managed land percentage” means the percentage of managed land for the area as set out on the managed land map;
- i. “meat plant” has the same meaning as in section 1 of O. Reg. 31/05 (Meat) made under the *Food Safety Quality Act, 2001*;
- j. “National airport” means an airport that serves the national capital region or the Greater Toronto Area, or an airport with annual passenger traffic of 200,000 persons or more;
- k. “non-agricultural managed land” means managed land that is not agricultural managed lands including lawns, sport fields and golf courses;
- l. “NPRI Notice” means the notice published in Volume 142, No. 7 of the Canada Gazette dated February 16, 2008 pursuant to subsection 46(1) of the *Canadian Environmental Protection Act, 1999 (Canada)*;
- m. “pathogen” means a microscopic organism capable of producing infection or infectious disease in humans;
- n. “PCB waste” has the same meaning as in Regulation 362 (Waste Management – PCB’s), R.R.O. 1990, made under the *Environmental Protection Act*;
- o. “regional airport” means an airport with an annual passenger traffic that is less than 200,000 persons and that is not a remote airport or a small airport;
- p. “remote airport” means an airport that serves a community where air transportation is the only reliable method of year round transportation between the community and other population centres;
- q. “sanitary sewage” means sewage within or from a sanitary sewer;
- r. “small airport” means an airport that does not have regular scheduled service to other airports and is not a remote airport;

- s. “spill” has the same meaning as in subsection 91(1) of the *Environmental Protection Act*;
- t. “system” includes part of a system;
- u. “Technical Rules” means the Ministry of the Environment document titled “Technical Rules: Assessment Report” as amended from time to time, and made under section 107 of the *Clean Water Act, 2006*; and
- v. “total impervious surface area map” means a map contained in the most recent assessment report for the applicable source protection area and prepared in accordance with sub-rule 16 (11).

Table of Contents For Tables 1 and 2 of Tables of Drinking Water Threats - Breakdown of Drinking Water Threats

Table 1 -Chemical

Prescribed Drinking Water Threat	Starting Reference number	Page	Short Form Name
The application of agricultural source material to land.	1	1	Application Of Agricultural Source Material (ASM) To Land
The application of commercial fertilizer to land.	19	5	Application Of Commercial Fertilizer To Land
The application of non-agricultural source material to land.	37	10	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)
The application of pesticide to land.	55	14	Application Of Pesticide To Land
The application of road salt.	88	23	Application Of Road Salt
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	96	25	Application Of Untreated Septage To Land
The handling and storage of a dense non-aqueous phase liquid.	102	27	Handling Of A Dense Non Aqueous Phase Liquid (DNAPL)
The handling and storage of fuel.	112	29	Handling Of Fuel
The management of runoff that contains chemicals used in the de-icing of aircraft.	192	49	Management Of Runoff Containing Chemicals Used In The De-Icing Of Aircrafts
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	200	50	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation - Livestock \Ggrazing
	206	51	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation - Outdoor Confinement
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	212	53	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water
	277	69	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond
	505	115	Sewage System Or Sewage Works - Industrial Effluent Discharges
	631	140	Sewage System Or Sewage Works - Sanitary Sewers and related pipes
	695	153	Sewage System Or Sewage Works - Septic System
	707	156	Sewage System Or Sewage Works - Septic System Holding Tank
	719	158	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water
	784	171	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)
	904	196	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)
The handling and storage of a dense non-aqueous phase liquid.	1098	245	Storage Of A Dense Non Aqueous Phase Liquid (DNAPL)
The handling and storage of pesticide.	1113	247	Storage Of A Pesticide

Table of Contents For Tables 1 and 2 of Tables of Drinking Water Threats - Breakdown of Drinking Water Threats

Table 1 -Chemical

Prescribed Drinking Water Threat	Starting Reference number	Page	Short Form Name
The storage of agricultural source material.	1201	264	Storage Of Agricultural Source Material (ASM)
The handling and storage of an organic solvent.	1225	269	Storage Of An Organic Solvent
The handling and storage of commercial fertilizer.	1273	279	Storage Of Commercial Fertilizer
The handling and storage of fuel.	1289	282	Storage Of Fuel
The handling and storage of non-agricultural source material.	1409	310	Storage of Non-Agricultural Source Material (NASM)
The handling and storage of road salt.	1433	315	Storage Of Road Salt
The storage of snow.	1445	317	Storage Of Snow
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1533	335	Storage, Treatment And Discharge Of Tailings From Mines
	1585	345	Waste Disposal Site - Landfarming Of Petroleum Refining Waste
	1603	350	Waste Disposal Site - Landfilling (Hazardous Waste)
	1639	359	Waste Disposal Site - Landfilling (Municipal Waste)
	1675	368	Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)
	1711	376	Waste Disposal Site - Liquid Industrial Waste Injection into a well
	1879	419	Waste Disposal Site - PCB Waste Storage
	1884	420	Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites
	1914	426	Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Table 2 - Pathogens

Prescribed Drinking Water Threat	Starting Reference number	Page	Short Form Name
The application of agricultural source material to land.	1944	434	Application Of Agricultural Source Material (ASM) To Land
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	1945	434	Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1947	434	Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water
	1948	434	Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Table of Contents For Tables 1 and 2 of Tables of Drinking Water Threats - Breakdown of Drinking Water Threats

Table 2 - Pathogens

Prescribed Drinking Water Threat	Starting Reference number	Page	Short Form Name
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1949	434	Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond
	1950	435	Sewage System Or Sewage Works - Industrial Effluent Discharges
The management of agricultural source material.	1955	435	Management Of Agricultural Source Material - Aquaculture
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1956	436	Sewage System Or Sewage Works - Septic System
	1957	436	Sewage System Or Sewage Works - Septic System Holding Tank
	1958	436	Sewage System Or Sewage Works - Sanitary Sewers and related pipes
	1959	436	Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)
	1960	436	Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)
The storage of agricultural source material.	1962	437	Storage Of Agricultural Source Material (ASM)
The handling and storage of non-agricultural source material.	1965	437	Storage of Non-Agricultural Source Material (NASM)
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1969	438	Application Of Untreated Septage To Land
The application of non-agricultural source material to land.	1970	438	Application Of Non-Agricultural Source Material (NASM) To Land (Including Treated Septage)

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of agricultural source material to land.	1	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	2	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	3	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	4	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:					
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6					
The application of agricultural source material to land.	5	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4					
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6					
			HVA			6					
			SGRA			6					
	6	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	7 - 9	4.8 - 6.4				
								HVA			
								SGRA			
	7	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2				
										10	6 - 8
								HVA			6
								SGRA			6
8	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2					
							HVA				
							SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of agricultural source material to land.	9	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	10	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	11	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
			IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
	12	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of agricultural source material to land.	13	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	14	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	15	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	16	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
HVA						
SGRA						

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of agricultural source material to land.	17	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	18	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
The application of commercial fertilizer to land.	19	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	20	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of commercial fertilizer to land.	21	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	22	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	23	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	24	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
HVA						
SGRA						

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of commercial fertilizer to land.	25	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	26	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	27	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	28	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of commercial fertilizer to land.	29	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	30	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	31	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
32	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:				
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6				
The application of commercial fertilizer to land.	33	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6				
			HVA			6				
			SGRA			6				
	34	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4				
							WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
							HVA			
							SGRA			
	35	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4				
							WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
							HVA			6
							SGRA			6
36	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4					
						WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
						HVA				
						SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of non-agricultural source material to land.	37	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	38	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	39	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	40	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of non-agricultural source material to land.	41	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	42	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	43	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	44	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of non-agricultural source material to land.	45	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	46	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	47	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
			IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
	48	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of non-agricultural source material to land.	49	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	50	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	51	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	52	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
HVA						
SGRA						

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of non-agricultural source material to land.	53	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	54	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is more than 1.0 nutrient units per acre. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
The application of pesticide to land.	55	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	56	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 6
The application of pesticide to land.	57	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	58	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	59	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
60	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	61	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	62	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	63	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
64	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	65	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	66	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	67	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
68	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	69	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	70	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	71	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
72	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	73	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	74	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	75	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
76	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	77	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	78	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	79	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
80	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	81	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	82	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8.1 - 10	6.3 - 8	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	83	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
84	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of pesticide to land.	85	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	86	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	87	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of road salt.	88	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent. 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	89	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	90	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent. 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
91	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of road salt.	92	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent. 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	93	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	94	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more. 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
95	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:					
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6					
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	96	1. The application of hauled sewage to land. 2. The application area is less than 1 hectare. 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2					
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8					
			HVA			6					
			SGRA			6					
	97	1. The application of hauled sewage to land. 2. The application area is less than 1 hectare. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2				
								HVA			
								SGRA			
	98	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares. 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	7.2 - 9	4.8 - 7				
									8 - 10	6	
								HVA			6
								SGRA			6
99	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8 - 9	4.9 - 7.2					
							HVA				
							SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V	100	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares. 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	101	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of a dense non-aqueous phase liquid.	102	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1				
			WHPA-D				6
			HVA				6
				SGRA		6	
	103	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1				
			WHPA-D				6
			HVA				6
				SGRA		6	
	104	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1				
WHPA-D			6				
HVA			6				
			SGRA		6		
105	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	9 - 10	6 - 8.1		
		WHPA-A, WHPA-B, WHPA-C/C1					
		WHPA-D				6	
		HVA				6	
			SGRA		6		
106	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	9 - 10	5.6 - 8.1		
		WHPA-A, WHPA-B, WHPA-C/C1					
		WHPA-D				6	
		HVA				6	
			SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of a dense non-aqueous phase liquid.	107	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1	2 - 10			
			WHPA-D			6	
			HVA			6	
				SGRA			6
	108	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
			WHPA-A, WHPA-B, WHPA-C/C1	2 - 10			
			WHPA-D			6	
			HVA			6	
				SGRA			6
	109	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
			WHPA-A, WHPA-B, WHPA-C/C1	2 - 10			
WHPA-D					6		
HVA					6		
			SGRA			6	
110	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7		
		WHPA-A, WHPA-B, WHPA-C/C1	2 - 10				
		WHPA-D			6		
		HVA			6		
			SGRA			6	
111	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4		
		WHPA-A, WHPA-B, WHPA-C/C1	2 - 10				
		WHPA-D			6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	112	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	113	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	114	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	115	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	116	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	117	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	118	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	119	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	120	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	121	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	122	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
	123	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
124	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
		HVA				
		SGRA				
125	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	126	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	127	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	128	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	129	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	130	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	131	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	132	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
133	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	134	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	135	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	136	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	137	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
SGRA					6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	138	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	139	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	140	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	141	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	142	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	143	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	144	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	145	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	146	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	147	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	148	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	149	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	150	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	151	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	152	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
153	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	154	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	155	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	156	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	157	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	158	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	159	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	160	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
161	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	162	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	163	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	164	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
165	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	166	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	167	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	168	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
169	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	170	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	171	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	172	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	173	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	174	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	175	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	176	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	177	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	178	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	179	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	180	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
181	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	182	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	183	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	184	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	185	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	186	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	187	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	188	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
189	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	190	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	191	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The management of runoff that contains chemicals used in the de-icing of aircraft.	192	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a remote airport. 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	193	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a remote airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	194	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a small airport. 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	195	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a small airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
196	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a regional airport. 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA SGRA			6 6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The management of runoff that contains chemicals used in the de-icing of aircraft.	197	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a regional airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	198	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport. 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	199	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	200	1. The use of land as livestock grazing or pasturing land. 2. The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	201	1. The use of land as livestock grazing or pasturing land. 2. The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	202	1. The use of land as livestock grazing or pasturing land. 2. The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	203	1. The use of land as livestock grazing or pasturing land. 2. The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	204	1. The use of land as livestock grazing or pasturing land. 2. The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	205	1. The use of land as livestock grazing or pasturing land. 2. The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	206	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	207	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	208	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	8 - 10	6
				HVA SGRA		6 6
	209	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		
				HVA SGRA		
	210	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	6
				HVA SGRA		6 6
	211	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of more than 300 nutrient units per hectares of the area annually. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		
				HVA SGRA		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	212	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	213	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	214	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	215	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	216	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	217	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	218	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
219	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	220	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	221	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	222	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	223	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	224	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	225	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	226	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	227	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	228	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	229	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	230	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	231	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	232	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	233	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	234	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
235	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	236	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
			HVA				
			SGRA				
	237	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
				HVA			
				SGRA			
	238	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
				HVA			
				SGRA			
239	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
			HVA				
			SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	240	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	241	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	242	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
243	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	244	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	245	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	246	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	247	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	248	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	249	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	250	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	251	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	252	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	253	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	254	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	255	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	256	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	257	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	258	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	259	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	260	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	261	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
262	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	263	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	264	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	265	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	266	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	267	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	268	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	269	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	270	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	271	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	272	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	273	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	274	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	275	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	276	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	277	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	278	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	279	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	280	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	281	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	282	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA			
			SGRA			
	283	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA			
			SGRA			
	284	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	285	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
		SGRA				
286	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	287	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	288	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	289	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	290	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	291	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	292	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			7 - 10 10
	293	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	7 - 9 10
	294	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			7 - 10
	295	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			7 - 10 10
	296	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1 8 - 10

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	297	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	298	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	299	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	300	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	301	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	302	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	303	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	304	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	305	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	306	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	307	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	308	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	309	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	310	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	311	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	312	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	313	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	314	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	315	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	316	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	317	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	318	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	319	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	320	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
		SGRA				
321	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	322	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	323	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	324	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
325	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA				
		SGRA				
326	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	327	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	328	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	329	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	330	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	331	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	332	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	333	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10 10	5.4 - 7.2 8
	334	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9 8 - 10	4.9 - 7.2 6 6
	335	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10 10	7 - 8.1 8	4.5 - 6.4 6 6
	336	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1 8 - 10	4.5 - 6.4 6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	337	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
	338	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	339	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
	340	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
	341	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	342	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	343	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	344	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	345	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	346	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	347	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	348	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	349	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	350	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	351	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	352	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	353	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
			HVA				
			SGRA				
	354	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
			SGRA				
	355	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
			HVA				
		SGRA					
356	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.4 - 9	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10		
		HVA					
		SGRA					

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	357	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	358	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	359	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	360	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	361	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	362	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	363	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	364	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	365	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	366	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	367	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	368	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	369	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	370	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	371	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	372	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	373	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	374	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	375	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	376	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	377	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	378	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	379	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	380	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	381	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	382	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	383	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	384	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	385	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	386	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	387	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1	
	388	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1	
	389	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1	
	390	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1	
	391	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2	
						10	6 - 8
							6
							6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	392	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	393	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	394	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	395	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
		SGRA			6	
396	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	397	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	398	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	399	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	400	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	401	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	402	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	403	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	404	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	405	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
		SGRA				
406	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	407	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA SGRA				
	408	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	5.4 - 7.2
					HVA		
					SGRA		
	409	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	5.4 - 7.2
					HVA		6
					SGRA		6
	410	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	7 - 9	4.8 - 6.4
					HVA		6
					SGRA		6
	411	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	6.3 - 8.1	4.2 - 6
					HVA		6
					SGRA		6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	412	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	413	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	414	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	415	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	416	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	417	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	418	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	419	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	420	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
		SGRA			6	
421	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	422	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	423	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	424	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	425	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
		SGRA			6	
426	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	427	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	428	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9 8 - 10	4.8 - 6.4 6 6
	429	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1 8 - 10
	430	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10 10	5.4 - 7.2 8
	431	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10 10	5.6 - 8.1 8

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	432	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	433	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	434	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	435	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	436	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	437	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	438	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	439	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	440	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	441	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	442	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	6.3 - 9 8 - 10
	443	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	6.3 - 9 8 - 10
	444	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	6.3 - 9 8 - 10
	445	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1 8 - 10
	446	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	447	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	448	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	449	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	450	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	451	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	452	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	453	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
	454	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	455	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	456	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
HVA					6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	457	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	458	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	459	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	460	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	461	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	462	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1
	463	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1
	464	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	465	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	466	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	467	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	468	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	469	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	470	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
		SGRA			6	
471	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	472	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	473	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8 - 9	5.4 - 7.2
						10	6 - 8
							6
							6
	474	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	7 - 8.1	4.5 - 6.4
						8 - 10	6
							6
							6
475	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	7 - 8.1	4.5 - 6.4	
					10	8	6
						6	
						6	
476	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	7 - 8.1	4.5 - 6.4	
					8 - 10	6	
						6	
						6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	477	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	478	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	479	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	480	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
		SGRA			6	
481	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	482	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	483	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	484	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	485	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
		SGRA			6	
486	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	487	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	488	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	489	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	490	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
		SGRA			6	
491	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	492	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
	493	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	494	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	495	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	496	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	497	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	498	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	499	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
	500	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
	501	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	502	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
	503	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
	504	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	505	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Acrylonitrile in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
	506	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	507	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	508	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Biphenyl-1,1' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	509	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	510	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Boron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	511	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	512	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	513	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Butoxyethanol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	514	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Butyl-n alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	515	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Butyl-tert alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	516	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	517	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	518	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	519	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	520	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	521	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cobalt or one or more of its compounds containing Cobalt in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	522	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	523	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	524	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	525	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D						
HVA SGRA						
526	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Dichloroethane-1,2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	527	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	528	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Formaldehyde in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	529	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	530	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	531	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	532	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydrazine or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA				
			SGRA				
	533	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
				HVA			
				SGRA			
	534	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Iron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
				HVA			
				SGRA			
	535	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
				HVA			
				SGRA			
	536	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Manganese or one or more of its compounds containing Manganese in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
				HVA			
				SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	537	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	538	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Methanol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	539	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Methyl ethyl ketone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	540	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Methylene chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	541	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	542	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Naphthalene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	543	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	544	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	545	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	546	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	547	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	548	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	549	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	550	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	551	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	552	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	553	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1
	554	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	555	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	556	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	557	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Sodium fluoride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	558	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Styrene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	559	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Sulphide (Hydrogen) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	560	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	561	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	562	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	563	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	564	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	565	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	566	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	567	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	568	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Acrylonitrile in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	569	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	570	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	8 - 10	6 - 7.2	4.2 - 5.6
	571	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Biphenyl-1,1' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	572	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	573	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Boron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	574	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	575	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	576	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butoxyethanol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	577	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-n alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	578	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-tert alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	579	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	580	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	581	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	582	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	583	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	584	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cobalt or one or more of its compounds containing Cobalt in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	585	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	586	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	587	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	588	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	589	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichloroethane-1,2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	590	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	591	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Formaldehyde in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	592	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	593	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	594	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	595	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrazine or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	596	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	597	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Iron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	598	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	599	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Manganese or one or more of its compounds containing Manganese in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	600	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	8 - 10	6 - 7.2	4.2 - 5.6
	601	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methanol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	602	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methyl ethyl ketone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	603	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methylene chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	604	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	605	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Naphthalene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	606	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	607	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	608	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	609	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	8 - 10	6 - 7.2	4.2 - 5.6
	610	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.3 - 8.1	4.2 - 6
	611	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	612	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	613	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	614	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	615	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	616	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	617	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	618	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	619	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	620	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Sodium fluoride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	621	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Styrene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	622	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Sulphide (Hydrogen) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	623	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	624	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	625	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	626	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	627	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	628	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	629	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3
	630	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
The establishment, operation or maintenance of a system that collects, stores, transmits, treats	631	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	8

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	632	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	8
	633	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10
	634	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Dichlorobenzidine-3,3' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10
	635	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10
	636	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	8

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	637	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	8
	638	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	8
	639	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10
	640	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10
	641	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	642	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey not more than 250 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	643	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			9 - 10
					10	6 - 8
						6 6
	644	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			9 - 10
					10	6 - 8
						6 6
	645	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			10
					10	8
	646	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Dichlorobenzidine-3,3' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	647	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	648	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	649	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	650	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	651	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	652	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	653	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
			SGRA				
	654	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA				
			SGRA				
	655	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
		SGRA					
656	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	657	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	658	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	659	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Dichlorobenzidine-3,3' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	660	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
		SGRA			6		
661	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	662	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	663	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	664	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	665	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	666	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	667	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	668	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA SGRA			6 6	
	669	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	670	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	671	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	6
			HVA SGRA			6 6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	672	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Dichlorobenzidine-3,3' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	673	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	674	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	675	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	676	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
HVA					6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	677	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	678	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	679	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	680	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
		SGRA				
681	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	682	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	683	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	684	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	685	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Dichlorobenzidine-3,3' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	686	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	687	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	688	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	689	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	690	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	691	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	692	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	693	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	694	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	695	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. The discharge from the system may result in the presence of Acetone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	6
			HVA SGRA			6 6	
	696	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. The discharge from the system may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	6
			HVA SGRA			6 6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	697	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. The discharge from the system may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	698	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	699	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
700	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. The discharge from the system may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	
701	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Acetone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	6.3 - 9
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	702	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	703	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	704	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	9 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
705	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA				
			SGRA				
706	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	9 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	707	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. A spill from the holding tank may result in the presence of Acetone to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	708	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. A spill from the holding tank may result in the presence of Chloride to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	709	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. A spill from the holding tank may result in the presence of Dichlorobenzene-1,4 (para) to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	710	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. A spill from the holding tank may result in the presence of Nitrogen to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	711	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. A spill from the holding tank may result in the presence of Phosphorus (total) to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	712	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the <i>Ontario Building Code Act, 1992</i> . 3. A spill from the holding tank may result in the presence of Sodium to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	713	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Acetone to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	714	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Chloride to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	715	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Dichlorobenzene-1,4 (para) to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	716	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Nitrogen to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	717	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Phosphorus (total) to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	718	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Sodium to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
				10	8	6
						6
						6
	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	719	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10
720		1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		10	6.3 - 9
721		1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA			7 - 10

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	722	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	6.3 - 9
	723	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		10	6.3 - 9
	724	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	725	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	7 - 9
	726	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	7 - 9

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	727	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	728	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		10	7 - 9
	729	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		10	7 - 9
	730	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		10	7 - 9
	731	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			7 - 10

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	732	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	733	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1
	734	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	735	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1
	736	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	5.6 - 8.1

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	737	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	738	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	739	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
	740	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	741	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	742	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	743	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	744	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	745	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	746	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	747	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	748	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	5.4 - 7.2
	749	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	750	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	751	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	752	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA				
			SGRA				
	753	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
				HVA			
				SGRA			
	754	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
				HVA			
				SGRA			
	755	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
				HVA			
				SGRA			
	756	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
				HVA			
				SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	757	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	758	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	759	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	760	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA SGRA			
	761	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	762	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	763	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	764	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	765	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	766	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	767	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	768	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	10	7.2 - 9	4.8 - 7
	769	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4
	770	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	771	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	6.4 - 8.1	4.5 - 6.3

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	772	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	773	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	774	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	775	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	776	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	777	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	778	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	779	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	8 - 10	6 - 7.2	4.2 - 5.6
	780	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4
	781	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA	9 - 10	7 - 8.1	4.5 - 6.4

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	782	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	783	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	784	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6 - 8.1	8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	785	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6 - 8.1	8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	786	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	787	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	788	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	789	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	790	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	791	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	792	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	793	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	794	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	795	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	796	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	797	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	798	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	799	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	800	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	801	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	802	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	803	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	804	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	805	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	806	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	807	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	808	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	809	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	810	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	811	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	812	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	813	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	814	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	815	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	816	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	817	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	818	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	819	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	820	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	821	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	822	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	823	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	824	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	825	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	826	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	827	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	828	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	829	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	830	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	831	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	832	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	833	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	834	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
	835	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
		SGRA			6	
836	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	837	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10 10	5.4 - 7.2 8
	838	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9 10	4.9 - 7.2 6 - 8 6 6
	839	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10 10	5.4 - 7.2 8
	840	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10 10	5.4 - 7.2 8
	841	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		9 - 10 10	5.6 - 8.1 8

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	842	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	843	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	844	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	845	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	846	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	847	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	848	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	849	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
	850	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
		SGRA			6	
851	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	852	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	853	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	854	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	855	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	856	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
SGRA					6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	857	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	858	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	859	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	860	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	861	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	862	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	863	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	864	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	865	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	866	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	867	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA				6
	868	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	7.2 - 9	4.8 - 7
						8 - 10	6
					HVA		
			SGRA				6
	869	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8 - 9	5 - 7.2
						8 - 10	6
					HVA		
			SGRA				6
	870	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	7 - 8.1	4.5 - 6.4
						8 - 10	6
					HVA		
		SGRA				6	
871	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	7 - 8.1	4.5 - 6.4	
				10	8	6	
				HVA			6
		SGRA				6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	872	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	873	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	874	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	875	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	876	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	877	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2
	878	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	7 - 9	4.8 - 6.4 6 - 8 6 6
	879	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	10	8 - 9	4.9 - 7.2 6 - 8 6 6
	880	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	8 - 10 10	6 - 7.2 8	4.2 - 5.6 6 6 6
	881	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA	8 - 10 10	6 - 7.2 8	4.2 - 5.6 6 6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	882	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	883	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	884	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	885	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	886	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	887	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	888	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	889	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	890	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	891	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	892	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	893	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	894	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	895	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	896	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	897	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	898	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	899	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	900	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phenol (or its salts) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	901	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	902	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, b, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	903	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, b, WHPA-C/C1, WHPA-D		8 - 10	6
HVA					6	
SGRA					6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	904	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	905	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	906	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	907	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	908	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	909	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
910	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	911	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	912	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	913	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
914	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	915	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	916	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	917	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	918	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	919	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	920	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	921	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	922	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	923	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	924	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	925	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	926	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	927	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	928	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				8 - 10
			HVA				
			SGRA				
	929	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
930	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8		
		HVA					
		SGRA					

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	931	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	932	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	933	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	934	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	935	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	936	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	937	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	938	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	939	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	940	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	941	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	942	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	943	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	944	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	945	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA			
			SGRA			
	946	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	947	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	948	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	949	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	950	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	951	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA SGRA			
	952	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	953	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	954	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	955	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	956	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	957	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
958	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	959	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	960	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	961	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	962	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	963	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	964	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
	965	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
966	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	967	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	968	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	969	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	970	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	971	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	972	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	973	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	974	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	975	<p>1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i>, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade.</p> <p>2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.</p> <p>3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.</p>	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	976	<p>1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i>, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade.</p> <p>2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.</p> <p>3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.</p>	<p>IPZ-1, IPZ-2, IPZ-3, WHPA-E</p> <p>WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D</p> <p>HVA</p> <p>SGRA</p>			8 - 10
					10	6 - 8
						6
						6
	977	<p>1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i>, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade.</p> <p>2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.</p> <p>3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.</p>	<p>IPZ-1, IPZ-2, IPZ-3, WHPA-E</p> <p>WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D</p> <p>HVA</p> <p>SGRA</p>			9 - 10
					10	8
978	<p>1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i>, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade.</p> <p>2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.</p> <p>3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.</p>	<p>IPZ-1, IPZ-2, IPZ-3, WHPA-E</p> <p>WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D</p> <p>HVA</p> <p>SGRA</p>			8 - 10	
				10	6 - 8	
					6	
					6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	979	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	980	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	981	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
982	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	983	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	984	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	985	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	986	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	987	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	988	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	989	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
990	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	991	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	992	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	993	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	994	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	995	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	996	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	997	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	998	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	999	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1000	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1001	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1002	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1003	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1004	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1005	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1006	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1007	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1008	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1009	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1010	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1011	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1012	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1013	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1014	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1015	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1016	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1017	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1018	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1019	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1020	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1021	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1022	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1023	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1024	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1025	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
1026	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1027	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1028	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1029	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
1030	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1031	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1032	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1033	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1034	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1035	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1036	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1037	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1038	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1039	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1040	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1041	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1042	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1043	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1044	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1045	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1046	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1047	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1048	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1049	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1050	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1051	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1052	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
				10	8	6
						6
						6
	1053	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1
				10	8	6
						6
						6
1054	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D HVA SGRA		9 - 10	6 - 8.1	
			10	8	6	
					6	
					6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1055	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1056	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1057	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1058	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1059	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
	1060	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA		6	
	1061	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA		6	
1062	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2		
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
		HVA			6		
			SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1063	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1064	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1065	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1066	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1067	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1068	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1069	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1070	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1071	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1072	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1073	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1074	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1075	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1076	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1077	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1078	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1079	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1080	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1081	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1082	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1083	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	8 - 10	6	
			HVA SGRA		6 6	
	1084	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1085	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1086	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1087	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1088	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1089	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1090	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1091	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1092	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2
					10	8	6
					HVA		6
					SGRA		6
	1093	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2
					10	8	6
					HVA		6
					SGRA		6
1094	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		9 - 10	5.6 - 8.1	
				10	8	6	
				HVA		6	
				SGRA		6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1095	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1096	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	8 - 10	6	
			HVA		6	
			SGRA		6	
	1097	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of a dense non-aqueous phase liquid.	1098	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1	2 - 10		
			WHPA-D			6
			HVA			6
			SGRA			6
	1099	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1	2 - 10		
			WHPA-D			6
			HVA			6
			SGRA			6
	1100	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1	2 - 10		
WHPA-D					6	
HVA					6	
		SGRA			6	
1101	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1	2 - 10			
		WHPA-D			6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of a dense non-aqueous phase liquid.	1102	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C,/C1	2 - 10		
			WHPA-D			6
			HVA			6
			SGRA			6
	1103	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C,/C1	2 - 10		
			WHPA-D			6
			HVA			6
			SGRA			6
	1104	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C,/C1	2 - 10		
			WHPA-D			6
			HVA			6
			SGRA			6
	1105	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
WHPA-A, WHPA-B, WHPA-C,/C1			2 - 10			
WHPA-D					6	
HVA					6	
		SGRA			6	
1106	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C,/C1	2 - 10			
		WHPA-D			6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of a dense non-aqueous phase liquid.	1107	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C,/C1			
			WHPA-D			
			HVA			
	1108	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C,/C1			
			WHPA-D			
			HVA			
	1109	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C,/C1			
			WHPA-D			
			HVA			
1110	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C,/C1				
		WHPA-D				
		HVA				
1111	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	2 - 10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C,/C1				
		WHPA-D				
		HVA				
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of a dense non-aqueous phase liquid.	1112	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1	2 - 10		
			WHPA-D		6	
			HVA		6	
			SGRA		6	
The handling and storage of pesticide.	1113	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1114	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1115	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
1116	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1117	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	1118	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
	1119	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8.1 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10
			HVA SGRA			
	1120	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
1121	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10	
		HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1122	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	1123	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	1124	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1125	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
1126	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1127	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1128	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1129	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1130	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1131	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1132	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1133	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1134	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
1135	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA				
		SGRA				
1136	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of pesticide.	1137	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1138	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1139	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
			HVA				
			SGRA				
	1140	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1141	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				8 - 10
			HVA				
			SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1142	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1143	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1144	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1145	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1146	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1147	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1148	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1149	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1150	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1151	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1152	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1153	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1154	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1155	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1156	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The handling and storage of pesticide.	1157	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1		
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8		
			HVA			6		
			SGRA			6		
			1158	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
					WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
	HVA					6		
	SGRA					6		
	1159	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.			IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
					WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6		
			SGRA			6		
			1160	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
					WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
	HVA					6		
	SGRA					6		
	1161	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.			IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
					WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
HVA								
SGRA								

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of pesticide.	1162	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1163	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
				HVA			
				SGRA			
	1164	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1165	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
				HVA			
				SGRA			
	1166	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
				HVA			
				SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1167	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1168	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1169	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1170	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1171	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1172	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1173	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1174	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1175	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1176	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
HVA					6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1177	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1178	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1179	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1180	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
		SGRA			6	
1181	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1182	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1183	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1184	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1185	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1186	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
HVA					6	
SGRA					6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1187	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1188	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1189	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1190	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
		SGRA			6	
1191	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The handling and storage of pesticide.	1192	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7		
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
			1193	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
					WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
	HVA					6		
	SGRA					6		
	1194	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.			IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
					WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6		
			SGRA			6		
			1195	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
					WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
	HVA					6		
	SGRA					6		
	1196	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.			IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
					WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
HVA					6			
SGRA					6			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of pesticide.	1197	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1198	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1199	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1200	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	
The storage of agricultural source material.	1201	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of agricultural source material.	1202	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	1203	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10 10	5.4 - 7.2 6 - 8 6 6
	1204	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	5.4 - 7.2
	1205	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA		8 - 10	8 - 10 6 6
	1206	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D HVA SGRA			8 - 10

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of agricultural source material.	1207	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1208	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1209	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1210	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
		SGRA				
1211	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of agricultural source material.	1212	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1213	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1214	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
1215	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	
1216	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of agricultural source material.	1217	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1218	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1219	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1220	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1221	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of agricultural source material.	1222	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	1223	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1224	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
HVA						
SGRA						
The handling and storage of an organic solvent.	1225	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1226	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of an organic solvent.	1227	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA SGRA				
	1228	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
			HVA SGRA				
	1229	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA SGRA			6 6	
	1230	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA SGRA			6 6	
1231	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8		
		HVA SGRA			6 6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1232	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1233	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1234	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1235	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
1236	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is not more than 25 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1237	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1238	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1239	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1240	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
		SGRA				
1241	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1242	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1243	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1244	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
1245	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	5.6 - 8.1
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	
1246	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1247	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1248	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1249	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1250	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
		SGRA			6	
1251	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1252	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1253	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1254	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1255	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1256	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1257	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1258	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1259	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1260	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1261	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1262	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1263	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1264	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1265	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1266	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1267	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1268	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1269	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1270	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1271	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of an organic solvent.	1272	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
The handling and storage of commercial fertilizer.	1273	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1274	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1275	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
1276	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of commercial fertilizer.	1277	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1278	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	1279	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
1280	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA				
		SGRA				
1281	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of commercial fertilizer.	1282	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
			HVA			
			SGRA			
	1283	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1284	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
1285	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	
1286	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of commercial fertilizer.	1287	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1288	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
The handling and storage of fuel.	1289	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1290	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
1291	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10	
		HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1292	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	1293	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			10
			HVA SGRA			
	1294	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	1295	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA SGRA			
1296	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
		HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1297	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1298	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
			HVA			
			SGRA			
	1299	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
1300	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1301	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1302	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
						10	8
					HVA		
					SGRA		
	1303	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			
						10	8
					HVA		
					SGRA		
1304	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			9 - 10	
					10	6 - 8	
				HVA		6	
				SGRA		6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1305	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1306	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
						10	8
					HVA		
					SGRA		
	1307	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
						10	8
					HVA		
					SGRA		
	1308	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
						10	8
					HVA		
					SGRA		
	1309	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	7 - 9
						10	6 - 8
					HVA		6
					SGRA		6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1310	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1311	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
						10	8
					HVA		
					SGRA		
	1312	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10
						10	8
					HVA		
					SGRA		
1313	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
					10	8	
				HVA			
				SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1314	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1315	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1316	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1317	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1318	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1319	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1320	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1321	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1322	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1323	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1324	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1325	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1326	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
1327	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1328	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1329	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1330	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
1331	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1332	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1333	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1334	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1335	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1336	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1337	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1338	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
1339	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1340	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1341	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1342	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
1343	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9		
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1344	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1345	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1346	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1347	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1348	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 L. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1349	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1350	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
	1351	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
			SGRA			
	1352	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA			
		SGRA				
1353	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1354	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1355	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1356	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1357	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1358	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1359	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1360	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1361	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1362	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1363	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1364	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1365	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1366	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1367	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
				HVA			6
				SGRA			6
	1368	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
				HVA			6
				SGRA			6
1369	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1370	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1371	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1372	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1373	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1374	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1375	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1376	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1377	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1378	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1379	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1380	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1381	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1382	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1383	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1384	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1385	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1386	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1387	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1388	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
				HVA			6
				SGRA			6
	1389	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1390	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1391	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1392	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1393	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1394	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1395	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1396	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1397	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1398	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1399	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of fuel.	1400	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1401	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1402	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1403	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of fuel.	1404	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1405	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1406	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1407	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1408	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of non-agricultural source material.	1409	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1410	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	1411	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of non-agricultural source material.	1412	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	1413	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA SGRA			6 6	
	1414	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	1415	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA SGRA			6 6	
	1416	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of non-agricultural source material.	1417	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1418	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1419	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1420	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA				
		SGRA				
1421	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of non-agricultural source material.	1422	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1423	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1424	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
1425	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	
1426	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of non-agricultural source material.	1427	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1428	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	1429	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1430	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
1431	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA SGRA			6 6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of non-agricultural source material.	1432	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
The handling and storage of road salt.	1433	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1434	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1435	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA			
			SGRA			
1436	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	
		HVA				
		SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The handling and storage of road salt.	1437	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1438	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8 - 9	4.9 - 7.2
						8 - 10	6
							6
							6
	1439	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		9 - 10	6 - 8.1
						10	6 - 8
							6
							6
1440	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		9 - 10	6 - 8.1	
					10	6 - 8	
						6	
						6	
1441	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	9 - 10	7 - 8.1	4.5 - 6.4	
				10	8	6	
						6	
						6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of road salt.	1442	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1443	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1444	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
The storage of snow.	1445	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1446	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1447	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1448	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1449	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1450	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1451	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1452	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1453	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1454	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1455	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1456	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1457	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA SGRA			6 6	
	1458	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA SGRA			6 6	
	1459	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1460	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1461	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA SGRA			6 6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1462	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1463	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8.1 - 10
						10	6 - 8
					HVA		6
					SGRA		6
	1464	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
						10	6 - 8
					HVA		6
					SGRA		6
	1465	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
					HVA		6
					SGRA		6
	1466	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
					HVA		6
SGRA						6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1467	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1468	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1469	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1470	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1471	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1472	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1473	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1474	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1475	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1476	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1477	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1478	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1479	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1480	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1481	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1482	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8	6	
			HVA SGRA			6 6	
	1483	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	6
			HVA SGRA				6 6
	1484	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	6
			HVA SGRA				6 6
	1485	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	6
			HVA SGRA				6 6
	1486	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10	6
			HVA SGRA				6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1487	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			6
			HVA SGRA			6 6
	1488	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10 6
			HVA SGRA			6 6
	1489	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10		7 - 9 4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10 6
			HVA SGRA			6 6
	1490	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10		7.2 - 9 4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10 6
			HVA SGRA			6 6
	1491	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10		7 - 9 4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10 6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1492	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1493	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1494	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
				HVA			6
				SGRA			6
	1495	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1496	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
HVA						6	
SGRA						6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1497	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1498	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1499	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1500	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1501	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1502	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1503	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1504	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1505	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1506	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1507	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1508	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1509	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.4 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1510	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1511	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	7 - 8.1	4.5 - 6.4
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1512	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1513	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1514	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1515	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1516	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1517	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1518	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1519	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1520	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1521	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The storage of snow.	1522	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1523	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1524	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1525	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	
	1526	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA SGRA			6 6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1527	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1528	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1529	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1530	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.4 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1531	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of snow.	1532	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1533	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1534	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1535	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1536	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1537	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
			HVA SGRA			6 6	
	1538	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1539	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6
	1540	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
				HVA SGRA			6 6
	1541	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1542	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1543	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1544	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Sulphide (Hydrogen) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1545	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1546	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1547	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1548	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1549	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1550	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1551	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1552	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1553	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1554	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1555	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA SGRA			
	1556	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1557	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Sulphide (Hydrogen) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8
			HVA SGRA			
	1558	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			8 - 10
			HVA SGRA			
	1559	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1560	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1561	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1562	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				6
			HVA				
	SGRA	6					
	1563	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				6
			HVA				
	SGRA	6					
	1564	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				5.6 - 8.1
			HVA				
	SGRA	6					
	1565	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	8 - 10	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				6
			HVA				
SGRA	6						
1566	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10		
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				6	
		HVA					6
SGRA	6						

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1567	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	1568	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	1569	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	1570	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Sulphide (Hydrogen) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				
	1571	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8	9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D				
			HVA SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:				
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6				
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1572	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6				
			HVA			6				
			SGRA			6				
	1573	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4				
							WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	8 - 10	6	
							HVA			6
							SGRA			6
	1574	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4				
							WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
							HVA			6
							SGRA			6
1575	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2					
						WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
						HVA			6	
						SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1576	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1577	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1578	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1579	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	
1580	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1581	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D			
			HVA			
			SGRA			
	1582	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1583	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Sulphide (Hydrogen) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1584	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the EPA	1585	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1586	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA			6
	1587	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
				SGRA			
	1588	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
				SGRA			
	1589	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8	
			HVA				
			SGRA				
1590	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1		
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		10	8		
		HVA					
			SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1591	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1592	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1593	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1594	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1595	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1596	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1597	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6.4 - 8.1	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1598	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	7 - 8.1		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1599	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1600	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1601	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1602	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1603	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1604	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1605	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1606	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1607	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1608	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1609	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6
	1610	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1611	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1612	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1613	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1614	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1615	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1616	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1617	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1618	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1619	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
	1620	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2	
					10	8	6	
					HVA			6
					SGRA			6
	1621	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8 - 9	5.4 - 7.2	
					10	8	6	
					HVA			6
					SGRA			6
1622	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	5.4 - 7.2		
				10	8	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1623	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1624	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1625	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1626	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1627	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1628	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1629	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1630	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1631	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1632	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1633	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1634	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1635	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1636	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1637	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1638	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1639	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1640	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA			6
	1641	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
1642	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1		
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1643	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA			6
	1644	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
	1645	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
1646	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1		
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1647	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1648	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		9 - 10	6 - 8.1
						8 - 10	6
					HVA		6
					SGRA		6
	1649	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		9 - 10	5.6 - 8.1
					10	8	6
					HVA		6
					SGRA		6
1650	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		9 - 10	5.6 - 8.1	
				10	8	6	
				HVA		6	
				SGRA		6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1651	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1652	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1653	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
1654	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2		
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1655	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1656	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA		6	
	1657	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA		6	
1658	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2		
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6		
		HVA			6		
			SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1659	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1660	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1661	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1662	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1663	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1664	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1665	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1666	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1667	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1668	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1669	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1670	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1671	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1672	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1673	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1674	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	8 - 10	6		
		HVA		6		
		SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1675	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1676	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1677	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1678	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1679	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA			6
	1680	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA		6	
	1681	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA		6	
1682	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1		
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
		HVA			6		
			SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1683	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1684	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1685	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1686	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1687	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1688	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1689	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1690	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1691	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1692	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1693	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8 - 9	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1694	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1695	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1696	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1697	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1698	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1699	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1700	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1701	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1702	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1703	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1704	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1705	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1706	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1707	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1708	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1709	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1710	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	8 - 10	6	
			HVA SGRA		6 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1711	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8.1 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1712	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1713	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8		
			HVA					
			SGRA					
	1714	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
					HVA			
					SGRA			
	1715	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
					HVA			
					SGRA			
1716	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10		
					10	6 - 8		
				HVA		6		
				SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1717	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1718	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1719	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	1720	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1721	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8		
			HVA					
			SGRA					
	1722	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D				
						10	8	
					HVA			
					SGRA			
	1723	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
						10	8	
					HVA			
					SGRA			
1724	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10		
					10	8		
				HVA				
				SGRA				

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1725	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1726	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1727	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
1728	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1729	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
			HVA			6		
			SGRA			6		
	1730	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
						10	8	
					HVA			
					SGRA			
	1731	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
						10	6 - 8	
					HVA			6
					SGRA			6
1732	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10		
					10	6 - 8		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1733	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1734	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA			
			SGRA			
	1735	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1736	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1737	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1738	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
	1739	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	
			HVA				
			SGRA				
1740	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8.1 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1741	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
			HVA			6		
			SGRA			6		
	1742	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
	1743	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
						10	6 - 8	
					HVA			6
					SGRA			6
1744	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10		
					10	6 - 8		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1745	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
			HVA			6		
			SGRA			6		
	1746	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
						10	6 - 8	
					HVA			6
					SGRA			6
	1747	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
1748	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10		
					10	6 - 8		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1749	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8
			HVA SGRA			
	1750	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8.1 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1751	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6
	1752	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1753	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	
	1754	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1755	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
1756	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1757	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1758	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1759	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1760	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1761	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8.1 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
			HVA			6		
			SGRA			6		
	1762	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			10	
						10	8	
					HVA			
					SGRA			
	1763	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
1764	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10		
					8 - 10	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1765	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
			HVA			6		
			SGRA			6		
			1766	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
					WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
	HVA					6		
	SGRA					6		
	1767	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.			IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
					WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6		
			SGRA			6		
1768			1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
	HVA				6			
	SGRA				6			

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1769	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8		
			HVA			6		
			SGRA			6		
	1770	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
	1771	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
1772	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10		
					10	6 - 8		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1773	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA			6
	1774	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
	1775	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
1776	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1777	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1778	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1779	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1780	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1781	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1782	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				9 - 10
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
				HVA			6
				SGRA			6
	1783	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1784	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1785	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
			HVA			6		
			SGRA			6		
	1786	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			9 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
	1787	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8.1 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
1788	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			7 - 10		
				10	8	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:				
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6				
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1789	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6				
			HVA			6				
			SGRA			6				
	1790	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	8 - 10			
							HVA			6
							SGRA			6
	1791	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10			
							HVA			6
							SGRA			6
1792	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10				
						HVA			6	
						SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1793	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6		
			HVA			6		
			SGRA			6		
	1794	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8.1 - 10	
						8 - 10	6	
					HVA			6
					SGRA			6
	1795	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
						8 - 10	6	
					HVA			6
					SGRA			6
1796	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			7.2 - 10		
					8 - 10	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1797	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8.1 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
				SGRA			6
	1798	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1799	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
1800	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	6	
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1801	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1802	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
	1803	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
1804	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10		
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1805	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
	1806	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
						8 - 10	6	
					HVA			6
					SGRA			6
	1807	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6.3 - 9	
					10	8	6	
					HVA			6
					SGRA			6
1808	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	7 - 9		
				10	8	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1809	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
	1810	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8.1 - 10	
						10	6 - 8	
					HVA			6
					SGRA			6
	1811	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
						8 - 10	6	
					HVA			6
					SGRA			6
1812	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	7 - 9		
				10	8	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:				
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6				
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1813	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9				
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6				
			HVA			6				
			SGRA			6				
	1814	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	7 - 10			
							HVA			6
							SGRA			6
	1815	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	7.2 - 10			
							HVA			6
							SGRA			6
1816	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			7.2 - 10				
									8 - 10	
						HVA			6	
						SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1817	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
	1818	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			8 - 10	
					10	8	6	
					HVA			6
					SGRA			6
	1819	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			7.2 - 10	
					10	8	6	
					HVA			6
					SGRA			6
1820	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	7 - 9		
				10	8	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1821	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
				SGRA			6
	1822	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	6
			HVA				6
			SGRA				6
	1823	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	6
			HVA				6
SGRA						6	
1824	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	8	6	
		HVA				6	
		SGRA				6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1825	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1826	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1827	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
1828	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1829	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1830	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7.2 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1831	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1832	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1833	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1834	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				8 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1835	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
1836	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1837	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1838	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.4 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1839	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1840	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1841	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
	1842	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D			7 - 10	
					10	8	6	
					HVA			6
					SGRA			6
	1843	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	7 - 9	
					10	8	6	
					HVA			6
					SGRA			6
	1844	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6.3 - 9	
					10	8	6	
					HVA			6
					SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1845	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			7 - 10	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1846	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA		6	
	1847	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA		6	
1848	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
			SGRA		6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1849	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1850	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1851	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.4 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1852	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1853	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1854	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1855	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1856	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1857	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1858	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) adipate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1859	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
1860	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:		
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6		
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1861	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
			HVA			6		
			SGRA			6		
	1862	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		9 - 10	6 - 8.1	
					10	8	6	
					HVA			6
					SGRA			6
	1863	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Chlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6.3 - 9	
					10	8	6	
					HVA			6
					SGRA			6
1864	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6.3 - 9		
				10	8	6		
				HVA			6	
				SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1865	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1866	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1867	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1868	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1869	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorocyclopentadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1870	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1871	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1872	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1873	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1874	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1875	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1876	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1877	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	8 - 10	6	
			HVA SGRA		6 6	
	1878	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1879	1. PCB waste is stored below grade in a facility or engineered cell. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1880	1. PCB waste stored in drums above or at grade. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the discharge of one or more Polychlorinated Biphenyls (PCBs) to land or water	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
	1881	1. PCB waste stored in storage tanks below grade. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1882	1. PCB waste stored a storage tank that is installed partially below grade. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
		SGRA			6	
1883	1. PCB waste is stored in an outdoor area and not in a container. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1884	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1885	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1886	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1887	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1888	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1889	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1890	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1891	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1892	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1893	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7	
		WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1894	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1	
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1895	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1896	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	9 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1897	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	9 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1898	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	9 - 10
				WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1899	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1900	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1901	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1902	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1903	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	6 - 8.1
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1905	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1906	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1907	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1908	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1909	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1910	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1911	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7 - 9	4.8 - 6.4
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1912	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1913	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	7.2 - 9	4.8 - 7
			WHPA-A, WHPA-B, WHPA-C/C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		9 - 10	5.6 - 8.1
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8
			HVA			6
			SGRA			6
	1916	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
			HVA			6
			SGRA			6
1917	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1918	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1919	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
				HVA			6
				SGRA			6
	1920	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6
				HVA			6
				SGRA			6
1921	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2		
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1922	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		10	6 - 8	
			HVA			6	
			SGRA				6
	1923	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D		8 - 10	6	
			HVA			6	
			SGRA			6	
	1924	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
1925	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E				7 - 10	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6		
		HVA			6		
		SGRA			6		

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1926	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
				SGRA			6
	1927	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	6.3 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1928	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1929	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			10	7 - 9	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1930	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	6.3 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1931	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
	1932	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA			6
			SGRA			6
1933	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	7 - 9	
		WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
		HVA			6	
		SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E	10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1935	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			9 - 10	5.6 - 8.1
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1936	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8 - 9	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1937	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8 - 9	4.9 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:	
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6	
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1938	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	
	1939	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2	
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
	1940	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		10	8 - 9	5.4 - 7.2
				WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
				HVA			6
				SGRA			6
1941	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E			8 - 10	5.4 - 7.2	
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6	
			HVA			6	
			SGRA			6	

TABLE 1 – DRINKING WATER THREATS – CHEMICALS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1942	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6
	1943	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, WHPA-E		8 - 10	5.4 - 7.2
			WHPA-A, WHPA-B, WHPA-C, WHPA-C1, WHPA-D	10	8	6
			HVA SGRA			6 6

TABLE 2 – DRINKING WATER THREATS – PATHOGENS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The application of agricultural source material to land.	1944	1. Agricultural source material is applied to land in any quantity.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. The application may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0
The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.	1945	1. The use of land as livestock grazing or pasturing land for one or more animals.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0
	1946	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1947	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. The discharge may result in the presence of one or more pathogens in surface water.	WHPA-A & WHPA-B			
	1948	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. The discharge may result in the presence of one or more pathogens in surface water.	WHPA-A & WHPA-B			
	1949	1. The system is a storm water management facility designed to discharge storm water to land or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1
		2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B		10.0	8.0

TABLE 2 – DRINKING WATER THREATS – PATHOGENS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1950	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E WHPA-A & WHPA-B	8 - 10	6 - 7.2	4.2 - 5.6
	1951	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E WHPA-A & WHPA-B		9 - 10	6 - 8.1
	1952	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E WHPA-A & WHPA-B		9 - 10	6 - 8.1
	1953	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E WHPA-A & WHPA-B		9 - 10	6 - 8.1
	1954	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E WHPA-A & WHPA-B		9 - 10	6 - 8.1
	The management of agricultural source material.	1955	1. The use of land or water for aquaculture.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10
2. The land use may result in the presence of one or more pathogens in surface water.			WHPA-A & WHPA-B			

TABLE 2 – DRINKING WATER THREATS – PATHOGENS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1956	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the <i>Building Code Act, 1992</i> or a sewage works as defined in section 1 of the <i>Ontario Water Resources Act</i> . 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2
			WHPA-A & WHPA-B	10.0	8.0	6.0
	1957	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2
			WHPA-A & WHPA-B	10.0	8.0	6.0
	1958	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass. 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2
			WHPA-A & WHPA-B	10.0	8.0	6.0
	1959	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A & WHPA-B	10.0	8.0	6.0
	1960	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
			WHPA-A & WHPA-B	10.0	8.0	6.0
	1961	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2
			WHPA-A & WHPA-B	10.0	8.0	6.0

TABLE 2 – DRINKING WATER THREATS – PATHOGENS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The storage of agricultural source material.	1962	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0
	1963	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2
		2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0
	1964	1. The agricultural source material is stored at a temporary field nutrient storage site.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0
The handling and storage of non-agricultural source material.	1965	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1
		2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B		10.0	8.0
	1966	1. The non-agricultural source material contains material generated by a meat plant, and any portion of the material is stored at or above grade.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
		2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	WHPA-A & WHPA-B	10.0	8.0	6.0

TABLE 2 – DRINKING WATER THREATS – PATHOGENS

DRINKING WATER THREATS:	Reference Number	Under the following CIRCUMSTANCES:	Areas Within Vulnerable Area	Threat is Significant in Areas with a Vulnerability Score of:	Threat is Moderate in Areas with a Vulnerability Score of:	Threat is Low in Areas with a Vulnerability Score of:
Column 1	Column 2		Column 3	Column 4	Column 5	Column 6
The handling and storage of non-agricultural source material.	1967	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E			8.1 - 10
			WHPA-A & WHPA-B		10.0	8.0
	1968	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2
			WHPA-A & WHPA-B	10.0	8.0	6.0
The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1969	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A & WHPA-B	10.0	8.0	6.0
The application of non-agricultural source material to land.	1970	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1
			WHPA-A & WHPA-B		10.0	8.0
	1971	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6
			WHPA-A & WHPA-B	10	8	6

Ministry of
the Environment

Source Protection Programs
Branch

8th Floor
2 St. Clair Ave. West
Toronto ON M4V 1L5

Ministère de
l'Environnement

Direction des programmes de protection
des sources

8^e étage
2, avenue St. Clair Ouest
Toronto (Ontario) M4V 1L5



Log: ENV1174IT-2010-33

February 9, 2010

Mr. Max Christie
Chair, Quinte Source Protection Committee
79 River Road
Napanee ON K7R 3H3

Dear Mr. Christie:

I am responding to your January 15, 2010 email, and Lucille Fragomeni's follow-up email sent January 22, 2010, regarding your request to use alternate methods under Rule 15.1 of the Director's Technical Rules (Rules) for the completion of the assessment report under the *Clean Water Act* (CWA) for the Quinte source protection region.

Variation from Rule 17 - Impervious Areas

As set out in your correspondence, your proposal is to use an alternative methodology to generate the grid to be used to estimate the Percentage of Impervious Surface Area, with a node of the grid centred on the centroid of the vulnerable area instead of centring the node on the source protection area as required by Rule 17.

We concur with your opinion that the use of this proposed alternative grid centroid will not impact the implementation of the Rule, other than to centre the calculations on the areas of particular interest. Therefore, this approach is equivalent to the method currently required by Rule 17.

Variation from Sub-Rule 16(9) - Percent Managed Lands

Your proposal is to use an alternate methodology to determine the percent managed lands in the Highly Vulnerable Aquifer area as required by sub-Rule 16(9). You are proposing to assess the percent managed lands for the individual physiographic regions (i.e. Precambrian, Limestone Terrane, and Prince Edward Peninsula) to allow better representation of the distribution of percent managed lands in the Highly Vulnerable Aquifer Area.

We concur with your opinion that the proposed methodology provides an accurate assessment of percent managed lands throughout the watershed. Therefore, this approach is equivalent to the method currently required by Rule 16(9).

Variation from Rule 42 - Delineation of Vulnerable Areas: Point Anne Water Supply System

Your proposal is to use an alternate methodology to delineate a wellhead protection area around the Hamlet of Point Anne Municipal intake. You are proposing to use a conceptual model and quasi 2-D model to represent the groundwater flow system around the well. As well, you are proposing to determine the various times of travel through mapping of the natural gradient of the water table and hydraulic conductivity and porosity values that were determined for a nearby groundwater system in a similar hydrogeologic setting.

Since groundwater enters this system and is being used it is necessary to delineate a wellhead protection area. By choosing a simple approach based on natural groundwater flow, the various times of travel around the wellhead will be delineated. This method is appropriate considering that contribution of groundwater to the system is limited compared to the major source of water which is the Bay of Quinte. Therefore, this approach is considered equivalent to the method currently required by Rule 42.

Variation from Rule 16(10) - Livestock Density

Your proposal is to use an alternate methodology to determine the livestock density of vulnerable areas (WHPA, IPZ and SGRA's). You propose to calculate livestock density as follows:

- 1.) Calculate the number of different types of livestock using Canada Census Data (2006) for the census subdivision in which the vulnerable area is located.
- 2.) Determine the nutrient units for the numbers of livestock located within the census subdivision.
- 3.) Determine the number of acres within the census subdivision that are used for the application of nutrients.
- 4.) Calculate the livestock density for the census subdivision by dividing the nutrient units by the number of acres of land used for application of nutrients.
- 5.) Apply the resulting density to the smaller vulnerable area for determination of threat activities.

Mr. Max Christie

Page 3


We concur with your opinion that this method allows the preparation of maps of livestock density based on typical activities within the area. This mapping provides an indication of the potential for an activity to occur in an area and as being a threat. In consideration that many areas do not have present livestock activities this is considered to be a conservative approach. Therefore, this approach is equivalent to the method currently required by Rule 16(10).

In accordance with my authority under Rule 15.1, I hereby provide Director's approval for the use of these alternate methods for the Quinte source protection region.

Your rationale for the use of these alternative methods and how they are being applied must be included in your assessment report.

We thank you for your efforts in completing the technical studies in support of the assessment report under the CWA. If you have any questions or require additional information, please contact our office.

Sincerely,



Ian Smith, Director
Source Protection Programs Branch
Ministry of the Environment

cc: Keith Taylor, Project Manager, Quinte Source Protection Authority
Lucille Fragomeni, Communications Manager, Quinte Conservation
Brian Keene, Technical Manager, Quinte Conservation
Heather Malcolmson, Manager, Source Protection Planning
Keith Willson, Manager, Source Protection Approvals
Maeve McHugh, Liaison Officer, Source Protection Implementation

Ministry of
the Environment

Source Protection Programs
Branch

8th Floor
2 St. Clair Ave. West
Toronto ON M4V 1L5

Ministère de
l'Environnement

Direction des programmes de protection
des sources

8^e étage
2, avenue St. Clair Ouest
Toronto (Ontario) M4V 1L5



Log: ENV1174IT-2010-98

May 6, 2010

Mr. Keith Taylor
Project Manager
Quinte Source Protection Region
2061 Old Highway #2, R.R. #2
Belleville, Ontario K8N 4Z2

Dear Mr. Taylor:

I am responding to your March 26, 2010 letter regarding your request to use an alternate classification for the Bay of Quinte intakes (Belleville, Point Anne, Deseronto and Picton) under Rule 55.1 of the Director's Technical Rules (the Rules) for the completion of the assessment report under the Clean Water Act (CWA) for the Quinte source protection region, as well as your request for alternate methods pursuant to Rule 15.1 for WHPA delineation and, study year.

Variation from Rule 55.1 – Classification of Intakes

The Director has the authority under technical rule 55.1 to notify a SPC of the classification of an intake. Based on technical rule 55, the Bay of Quinte intakes are classified as type A intakes. Through this letter, I am providing notice that the intakes are to be classified as Type D intakes (Others), instead of Type A intakes. Given the rationale as stated in the letter, we concur with your opinion that the character and nature of the Bay of Quinte is distinct from the Great Lakes with respect to hydrodynamics and water quality and therefore, the Bay of Quinte intakes can be classified as a Type D intake.

In accordance with my authority under Rule 55.1, I hereby classify the Belleville, Point Anne, Deseronto, and Picton intakes as Type D intakes. This letter notifying you of the classification of the intakes must be included in your assessment report.

Variation from Rule 47(5) b with respect to Delineation of Peats Point WHPA E

As described in your correspondence, the Peats Point well in Prince Edward County is located on a small peninsula and is classified as a GUDI well. Your

proposal is to vary from Rule 47(5) b, to instead use the closest point in three directions, as opposed to one, to determine the focal points for three WHPA Es. Your intension is to combine the three WHPA Es into one zone.

Your rationale for using this alternative method is that there is concern that the surface water influence could be coming from either north or east of the well location. Under the GUDI rules, surface water within 500 metres, where the well is located in bedrock, would be considered. You state that it is likely that the Technical Rules did not consider a situation where a well would be located on a peninsula with surface water within 500 metres in more than one direction. You suggest that the closest points to the north and to the east could both be located outside the Two Year Time of Travel zone, but that it should be recognized that there are inherent variabilities in fractured rock that could result in rapid movement of water from the Bay. The Committee is not comfortable concluding that the surface water from the north or east could not influence this well.

We agree with your opinion that the alternative method will more accurately reflect the situation. This method is approved for the assessment of the Peats Point Intake in the Quinte source protection region.

Variation from Rule 31 with respect to Study Year

As set out in your correspondence, your proposal is to use three years (2006 – 2008) of water use data with respect to the Tier 2 water budget for the surface water intake in Roblin Lake in the Village of Ameliasburgh, Prince Edward County, instead of using the Study Year (2007) as required by Rule 31.

We agree with your opinion that usage in the years proceeding and following the study year is a good representation of water usage in the municipality. This method is approved for the Tier 2 assessment for the subwatershed with the Robin Lake Intake in the Quinte source protection region.

Variation from Rule 31 with respect to Study Year

As set out in your correspondence, your proposal is to use the 2006 water use data with respect to the Tier 2 water budget for the Village of Madoc wells instead of using the Study Year (2007) as required by Rule 31.

We agree with your opinion that the Study Year (2007) data do not accurately reflect the typical water usage for the Village of Madoc. This method is approved for the Tier 2 assessment for the subwatershed with the Village of Madoc wells in the Quinte source protection region.

In accordance with my authority under Rule 15.1, I hereby provide Director's approval for the use of these alternate methods for the specific intakes and wells in the Quinte source protection region.

Your rationale for the use of these alternative methods and how they were applied must be included in your assessment report.

We thank you for your efforts in completing the technical studies in support of the assessment report under the CWA. If you have any questions or require additional information, please contact our office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Ian Smith', with a stylized flourish extending from the end.

Ian Smith, Director
Source Protection Programs Branch
Ministry of the Environment

cc: Keith Taylor, Quinte source protection area
Wendy Lavender, Liaison Officer
Heather Malcolmson, Manager, Source Protection Planning
Keith Willson, Manager, Source Protection Approvals